

BELIZE

DEPARTMENT OF

CIVIL AVIATION



BELIZE CIVIL AVIATION REGULATIONS

APPROVED MAINTENANCE

ORGANIZATION

BCAR 145

Issue: 2
Revision: 0
Date: 01/07/2009



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

BCAR 145

INTENTIONALLY LEFT BLANK



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

BCAR 145

Issue and Revision System

THE REVISIONS TO THIS REGULATION WILL BE INDICATED BY A VERTICAL BAR ON THE LEFT SIDE, IN FRONT OF THE LINE, SECTION OR FIGURE THAT HAS BEEN AFFECTED. AN ISSUE WILL BE THE REPLACEMENT OF THE COMPLETE DOCUMENT.

THESE REVISIONS MUST BE RECORDED ON THE RECORD OF REVISIONS TABLE OF THIS DOCUMENT, INDICATING THE RESPECTIVE NUMBER, DATE IT WAS ENTERED AND SIGNED BY THE PERSON ENTERING THE REVISION.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

BCAR 145

Record of Revisions

Number	Date entered:	Entered by:



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

BCAR 145

Preamble

Issue 2 to BCAR 145 date 01/07/2009 is in compliance with ICAO Annex 8 amendment 100.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

BCAR 145

List of Effective Pages

PAGE NUMBER	REVISION NUMBER	DATE
Front page	0	01/07/2009
IRS	0	01/07/2009
RR	0	01/07/2009
P	0	01/07/2009
LEP-1	0	01/07/2009
LEP-2	0	01/07/2009
TOC-1	0	01/07/2009
TOC-2	0	01/07/2009
TOC-3	0	01/07/2009
1	0	01/07/2009
2	0	01/07/2009
3	0	01/07/2009
4	0	01/07/2009
5	0	01/07/2009
6	0	01/07/2009
7	0	01/07/2009
8	0	01/07/2009
9	0	01/07/2009
10	0	01/07/2009
11	0	01/07/2009
12	0	01/07/2009
13	0	01/07/2009
14	0	01/07/2009
15	0	01/07/2009
16	0	01/07/2009
17	0	01/07/2009
18	0	01/07/2009
19	0	01/07/2009
20	0	01/07/2009
21	0	01/07/2009
22	0	01/07/2009
23	0	01/07/2009
24	0	01/07/2009
25	0	01/07/2009
26	0	01/07/2009
27	0	01/07/2009
28	0	01/07/2009

PAGE NUMBER	REVISION NUMBER	DATE
29	0	01/07/2009
30	0	01/07/2009
31	0	01/07/2009
32	0	01/07/2009
33	0	01/07/2009
34	0	01/07/2009
35	0	01/07/2009
36	0	01/07/2009
37	0	01/07/2009
38	0	01/07/2009
39	0	01/07/2009
40	0	01/07/2009
41	0	01/07/2009
42	0	01/07/2009
43	0	01/07/2009
44	0	01/07/2009
45	0	01/07/2009
46	0	01/07/2009
47	0	01/07/2009
48	0	01/07/2009
49	0	01/07/2009
50	0	01/07/2009
51	0	01/07/2009
52	0	01/07/2009
53	0	01/07/2009
54	0	01/07/2009
55	0	01/07/2009
56	0	01/07/2009
57	0	01/07/2009
58	0	01/07/2009
59	0	01/07/2009
60	0	01/07/2009
61	0	01/07/2009
62	0	01/07/2009
63	0	01/07/2009
64	0	01/07/2009
65	0	01/07/2009



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

BCAR 145

List of Effective Pages

PAGE NUMBER	REVISION NUMBER	DATE
66	0	01/07/2009
67	0	01/07/2009
68	0	01/07/2009
69	0	01/07/2009
70	0	01/07/2009
71	0	01/07/2009
72	0	01/07/2009
73	0	01/07/2009
74	0	01/07/2009
75	0	01/07/2009
76	0	01/07/2009
77	0	01/07/2009
78	0	01/07/2009
79	0	01/07/2009
80	0	01/07/2009
81	0	01/07/2009
82	0	01/07/2009
83	0	01/07/2009
84	0	01/07/2009
85	0	01/07/2009
86	0	01/07/2009
87	0	01/07/2009
88	0	01/07/2009
89	0	01/07/2009
90	0	01/07/2009
91	0	01/07/2009
92	0	01/07/2009
93	0	01/07/2009
94	0	01/07/2009

PAGE NUMBER	REVISION NUMBER	DATE



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

BCAR 145

Table of Contents

Cover Page.....	Cover Page
Issue and Revision System.....	IRS
Record of Revisions.....	RR
Preamble.....	P
List of Effective Pages.....	LEP-1 to LEP-2
Table of Contents.....	TOC-1 to TOC-3
Presentation and Introduction.....	1
BCAR 145.1 General.....	2
BCAR 145.3 Effectivity.....	2
BCAR 145.5 Definitions.....	2-5
BCAR 145.10 Applicability.....	5
BCAR 145.13 Inspection Authority and Access to Documentation.....	5
BCAR 145.15 Applications and Issue.....	6
BCAR 145.17 Process to Obtain A BCAR-145 Approval Certificate.....	6-7
BCAR 145.20 Content of the Approval Certificate.....	7-8
BCAR 145.23 Transfer of Approval Certificate.....	8
BCAR 145.25 Facility Requirements.....	8
BCAR 145.30 Requirements for the Management Personnel.....	8-11
BCAR 145.31 Maintenance Personnel.....	11
BCAR 145.32 Specialized Services Personnel (NDT).....	11
BCAR 145.35 Certifying Staff	11-13
BCAR 145.37 Rest and Duty Limitation for Mechanics.....	13
BCAR 145.40 Equipment, Tools and Materials.....	13
BCAR 145.42 Acceptance of Components.....	13-14
BCAR 145.45 Maintenance Data.....	14-15
BCAR 145.47 Production Planning.....	15
BCAR 145.50 Certificate of Release to Service.....	16
BCAR 145.55 Maintenance Records.....	16-17
BCAR 145.60 Occurrence Report.....	17
BCAR 145.65 Safety and Quality Policy, Maintenance Procedures and Quality System.....	17-18
BCAR 145.66 Safety Management System.....	18
BCAR 145.67 Programme to Control the use of Narcotic Drugs, Enervating Substances and Alcohol.....	18-19
BCAR 145.70 Maintenance Organization Exposition (MOE).....	19-21
BCAR 145.75 Privileges of a BCAR 145 AMO.....	21-22
BCAR 145.80 Limitations of a BCAR 145 AMO.....	22-23
BCAR 145.85 Changes to the BCAR 145 AMO.....	23-24
BCAR 145.90 Continued Validity.....	24-25
BCAR 145.95 Exemptions.....	25
BCAR 145.100 Revocations, Suspensions, Limitation or Refusal to Issue or Re-issue of the BCAR 145 Approval Certificate.....	25



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

BCAR 145

Table of Contents

Appendices.....	26
Appendix A.....	26-27
Table 1.....	28
Table 2.....	29
Appendix B.....	30
BDCA Form 1.....	31-32
Appendix C.....	33-34
Annex 1 (small BCAR 145 AMOs).....	35-36
Table 1 to smll BCAR 145 (One Man Operation).....	37
AMC/IEMs Cover Page.....	38
AMC/IEM General.....	39
IEM 145.5 Definitions.....	40-41
IEM 145.20 Content of the Approval Certificate and its Ratings.....	41
AMC 145.25(b) Facility Requirements.....	41
AMC 145.25(c) Facility Requirements.....	41
AMC 145.25(d)(2) Facility Requirements.....	41-42
AMC 145.25(d) Facility Requirements.....	42-43
AMC 145.30(a) Management Personnel Requirements.....	43-45
Examples of BCAR 145 AMOs.....	46
Large Organization.....	47
Small Organization.....	48
AMC 145.30 (e) Management Personnel Requirements.....	48
AMC 145.31(a) Maintenance Personnel.....	48-52
AMC 145.32(a) Specialized Services Personnel (NDT).....	53-54
IEM 145.35 Certifying Staff.....	54
AMC 145.35(b)(2) Certifying Staff.....	54
AMC 145.35(b)(3) Certifying Staff.....	55
AMC 145.35(c) Certifying Staff.....	55
AMC 145.35(d) Certifying Staff.....	56-57
AMC 145.35(g) Maintenance Certifying Staff.....	57
AMC 145.35(j) Certifying Staff.....	57-58
AMC 15.40(a) Equipment, Tools and Material.....	58-59
AMC 145.40(b) Equipment, Tools and Material.....	59
AMC 145.42(c) Acceptance of Components.....	59-61
AMC 145.42(d) Acceptance of Components.....	61-62
AMC 145.45(a) Maintenance Data.....	62
AMC 145.45(b) Maintenance Data.....	62-64
AMC 145.45(c) Maintenance Data.....	64
AMC 145.45(d) Maintenance Data.....	64
AMC 145.45(g) Maintenance Data.....	65
AMC 145.45(j) & (k) Maintenance Data.....	65
AMC 145.47(a) Production Planning.....	65-66
AMC 145.47(b) Production Planning.....	66
AMC 145.47(c) Production Planning.....	67
AMC 145.47(d) Production Planning.....	67-68
IEM 145.47 (d) Production Planning.....	68
AMC 145.50(a) Certification of Maintenance.....	68-69



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

BCAR 145

Table of Contents

AMC 145.50(c) Certification of Maintenance.....	69
AMC 145.50(d) Certification of Maintenance.....	69-70
AMC 145.50(e) Certification of Maintenance.....	71
IEM 145.50(e) Certification of Maintenance.....	71
IEM Appendix B (CRS components).....	72-75
AMC 145.55(a) Maintenance Records.....	75-76
IEM 145.55(b) Maintenance Records.....	76
AMC 145.55(c) Maintenance Records.....	76-77
AMC 145.60 Occurrences Reporting.....	77-80
AMC 145.65(a) Safety and Quality Policy, Maintenance Procedures and Quality System.....	80
AMC 145.65(b) Safety and Quality Policy, Maintenance Procedures and Quality System.....	81
AMC 145.65(b)(2) Safety and Quality Policy, Maintenance Procedures and Quality System.....	81
AMC 145.65(b)(3) Safety and Quality Policy, Maintenance Procedures and Quality System.....	81-82
AMC 145.65(c) Safety and Quality Policy, Maintenance Procedures and Quality System.....	82-84
Audit Plan.....	85-87
AMC 145.65(c)(2) Safety and Quality Policy, Maintenance Procedures and Quality System.....	87
IEM 145.70(a) MOE.....	87-89
IEM 145.75(a)(1) General.....	89
AMC 145.75(a)(2) Privileges of the Organization.....	90-92
IEM 145.80 Limitations on the BCAR 145 AMO.....	92
IEM 145.85(a) Chnages to the BCAR 145 AMO.....	93
IEM 145.95 Exemptions.....	93-94
IEM 145.100 Revocation, Suspension, Limitation or Refusal to Issue ir Renew the BCAR 145 AMO.....	94



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

Presentation and Introduction

1. PRESENTATION

- 1.1. Section one of the BCAR -145 is presented in two columns on loose pages, each page being identified by the date of issue or amendment number under which it is amended or reissued.
- 1.2. The text in section 1 is written using Arial font 10. The explanatory notes are not considered requirements; if they exist, they will be written in arial font 11.

2. INTRODUCTION

- 2.1 Section 1 includes the requirements to apply the Regulation and to comply with the certification requirements and the supervision of the BDCA activity established by ICAO for the Maintenance Organizations.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

BCAR - 145.1 General

- a) These Regulations may be cited as the Belize Civil Aviation Regulations 145 (Approved Maintenance Organisation)
- b) No maintenance organization may advertise as an approved maintenance organisation until an Approval Certificate has been issued to that facility by the Director.
- c) An approved maintenance organisation shall not advertise in any manner whatsoever, any statement that is false or misleading.
- d) An advertisement by an approved maintenance organisation shall clearly state the certificate number of the approved maintenance organisation

“ATA Specification 104, level II” a level II specification course shall provide general basic training about the aircraft systems, control description, indicators, and main components including its location as well as practical training for servicing and troubleshooting.

“ATA Specification 104, level III” a level III specification course shall provide detailed training in the description of components/systems, operation, location, removal/installation, as well as troubleshooting procedure training and BITE at a maintenance manual level.

“Aircraft” means any machine that is capable of deriving support in the atmosphere from reactions of the air, other than a machine designed to derive support in the atmosphere from reactions against earth’s surface of air expelled from the machine and includes a rocket;

“Aircraft Component” means any assembly/item/component/part of an aircraft up to and including a complete powerplant and/or any operational/ emergency equipment.

BCAR - 145.3 Effectivity

- a) This BCAR-145 was issued on Statutory Instrument No. 134 of 2007 and shall come into force on 30th September, 2007

BCAR – 145.5 Definitions

(See IEM 145.5)

- a) In these Regulations;

“Accountable Manager” means the manager of an aircraft maintenance organization who is responsible for establishing and promoting the safety and quality policy and shall have corporate authority for ensuring that maintenance, preventive maintenance and modification for which the aircraft maintenance organization is authorized to perform can be financed and carried out to the standard required by the Director;

“AMC” means Acceptable Means of Compliance.

“Approved Standard” means a manufacturing, design, maintenance, or quality standard approved by the BDCA.

“Airframe” means the fuselage, booms, nacelles, cowlings, fairings, airfoil surfaces, including rotors but excluding propellers and rotating airfoils of a powerplant, landing gear of an aircraft and their accessories and controls;

“Air Operator” means any person, organization or enterprise which undertakes to engage in domestic commercial air transport or international commercial air transport, whether directly or by a lease or any other arrangement;

“Airworthy” means an aircraft or aircraft component is in a fit and safe state for flight and is in conformity with its type design;

“AMO” means an approved maintenance organization approved by the Director referred to in BCAR 145.15 to conduct maintenance on



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

Belizean aircraft and their associated aircraft component;

“BCAR -145 approval certificate (AC)” is the authorisation issued by the Director to certify the technical suitability to provide the service of a BCAR -145 AMO.

“BDCA” means the Belize Department of Civil Aviation

“Belizean Aircraft” means a civil aircraft registered in Belize;

“Capability List” means a current list of aircraft component for which an approved maintenance organization is capable to effectively perform maintenance functions approved by the Director;

“Certificate of Release to Service” means a certification issued by certifying staff of an approved maintenance, certifying that the maintenance, preventive maintenance or modification performed on an aircraft, airframe, aircraft engine, propeller, appliance or component part thereof was accomplished using

- (a) The methods, techniques and practices, prescribed in the current maintenance manual of the manufacturer;
- (b) The instructions for continued airworthiness prepared by its manufacturer; or
- (c) Other methods, techniques and practices acceptable to the Director:

“Certifying Staff” mean those personnel who are authorised by the approved maintenance organization in accordance with a procedure acceptable to the Director to certify aircraft or aircraft components for release to service.

“Composite” means structural materials made of substances including but limited to, wood, metal, ceramic, plastic, fibre-reinforced materials, graphite, boron or epoxy, with built-in strengthening agents that may be in a form of

filaments, foils, powder or flakes of a different material;

“Computer System” means any electronic or automated system capable of receiving, storing and processing external data, and transmitting and presenting such data in a usable form for the accomplishment of a specific function;

“Facility” means the fixtures, implements, machinery, apparatus, land, buildings and equipment which provide the means for the performance of maintenance, preventive maintenance or modifications of any aircraft or aircraft component;

“Form One” (F-1) indicates and represents the certificate of release to service of the maintenance work done to an aircraft component by a BCAR -145 AMO.

“Housing” means a building, hangar and other structure used to accommodate the necessary equipment and materials for an approved maintenance organization that provides workspace for the performance of maintenance, preventive maintenance or modifications for which the approved maintenance organization is certified and rated;

- (a) Provides the structure for the proper protection of aircraft, aircraft engines, propellers, appliances, components, parts and sub-assemblies thereof during disassembly, cleaning, inspection, repair, modification, re-assembly and testing; and
- (b) Provides for the proper storage, segregation and protection of materials, parts and supplies;

“Human Factors” means principles which apply to aeronautical design, certification, training, operations and maintenance which seek safe interface between the human and other system components by proper consideration of human performance;



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

“Human Performance” means human capabilities and limitations which have an impact on the safety and efficiency of aeronautical operations;

“*IEM*” means Interpretative/Explanatory Material.

“Inspection” means the examination of an aircraft or aircraft component to establish conformity with an approved standard;

“*Line maintenance/ Base maintenance*” means the maintenance tasks that can or shall be carried out with the concepts of line or base. A detailed specification of the maintenance tasks shall be considered in one or the other of these concepts.

“Maintenance” means the performance of tasks required to ensure that the continuing airworthiness of an aircraft or aircraft component including any one or a combination of overhaul, inspection, replacement defect, rectification and the embodiment of a modification or repair;

“*Maintenance data*” means any information necessary to ensure that the aircraft component can be maintained in a condition such that airworthiness of the aircraft component, or serviceability of operational and emergency equipment as appropriate, is assured;

“*Measurement Device*” means a calibrated calibrator, standard, equipment and test equipment that is intended to be used to test, measure or calibrate other measurement devices and is not permitted to be used to test, measure or calibrate an aircraft component;

“*Modification*” means the alteration of an aircraft component in conformity with an approved standard;

“*Maintenance Organization Exposition*” (MOE) means manual that contains the material required by the BCAR -145.70 to explain how the BCAR -145 AMO is complying with BCAR -145.

“*National air operator*” means a person, organisation or enterprise that has been issued a

Belize Air Operators Certificate in accordance with the BCARs;

“*Approval Certificate*” means the specific operating provisions describing in detail the class ratings and limitations where applicable and containing reference material and process specifications used in performing repair work, along with any limitations that apply to the approved maintenance organisation;

“*Overhaul*” means the restoration of an aircraft component using methods, techniques and practices acceptable to the Director, including dis-assembly, cleaning and inspection as permitted, repair as necessary and re-assembly and testing in accordance with approved standards and technical data, or in accordance with current standards and technical data acceptable to the Director, which have been developed and documented by the State of Design, holder of the type certificate, supplemental type certificate, and manufacturing approved standard in respect of material, part, process or appliance;

“*Pre-flight Inspection*” means the inspection carried out before flight to ensure that the aircraft is fit for the intended flight and shall not include defect rectification;

“*Preventive Maintenance*” means the simple or minor preservation operations and replacement of small standard parts not involving complex assembly operations;

“*Propeller*” means a device for propelling an aircraft that has blades on a power plant driven shaft and that, when rotated, produces by its action on the air, a thrust approximately perpendicular to its plane of rotation and includes control components normally supplied by its manufacturer, but does not include main and auxiliary rotors or rotating airfoils of power plants;

“*Rating*” means the scope of the maintenance tasks approved to a BCAR -145 AMO. It is an essential part of the BCAR -145 AC.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

"Release to Service" means an aircraft or aircraft component is certified as either airworthy or serviceable that is permitted to return to normal operations;

"Repair" means the restoration of an aircraft or aircraft component to a serviceable condition in conformity with an approved standard;

"Safety and Quality Policy" means the overall intention and direction of an organisation as regards to safety and quality, approved by the Accountable Manager;

"Scope of a BCAR -145 AMO" means the range the maintenance tasks (ratings) approved to the BCAR -145 AMO by the BDCA.

"Small BCAR -145 AMO" means the companies that employ from one to five people involved in the maintenance tasks including: Mechanics, Certifying Staff, Accountable Manager, Director of Maintenance, and Quality Manager.

"Specialized Maintenance" means any maintenance not normally performed by an approved maintenance organisation, such as, NDT, Compass Compensation, Welding etc.

"Signature" means the unique identification of an individual used as a means of authenticating a maintenance record entry or maintenance record, which may be hand-written, in electronic or any other form acceptable to the Director;

"Standard" means an object, tool, test equipment, system or experiment that stores, embodies or otherwise provides a physical quantity, which serves as the basis for measurements of the quantity and includes a document describing the operations and process that must be performed in order for a particular end to be achieved;

"Tools, Equipment and Test Equipment" means items used by an approved maintenance organisation for the performance of maintenance or calibration on an aircraft or aircraft component;

"Traceability" means a traceable calibration that is achieved when each measurement device and working standard in a hierarchy stretching back to the National Standard is properly calibrated and the results documented, and such document provides information needed to demonstrate that all calibrations in the chain of calibrations were properly performed

BCAR - 145.10 Applicability

These Regulations prescribe

- a) The requirements for the issue of approved maintenance organisation certificate for the maintenance, preventive maintenance and modifications of Belizean aircraft and their aircraft component; and general operating rules for an approved maintenance organization

BCAR 145.13 Inspection Authority and Access to Documentation

- a) An approved maintenance organisation shall
 - 1) Permit the authorised representative assigned by the Director to inspect its facilities and any of its contracted maintenance facilities at any time to determine compliance with these Regulations; and
 - 2) Ensure that arrangement for maintenance, preventive maintenance or modifications by a sub-contractor includes provisions for inspections of the facilities of the contractor by the authorised representative assigned by the Director.
 - 3) In addition, the BCAR -145 AMO shall provide the BDCA with any information, document, manual, or any record regarding its Approval Certificate.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

BCAR 145.15 Applications and Issue

- a) A person wishing to apply for an approved maintenance organisation certificate with an appropriate rating to perform maintenance, preventive maintenance and modification on Belizean aircraft and their associated aircraft components shall
- 1) Apply to the Director in the prescribed form;
 - 2) Pay the prescribed fee;
 - 3) Be at least 18 years of age;
 - 4) Be able to or have persons in his employ who are able to read, speak, write and understand the English language
 - 5) Meet the requirements of these Regulations
- b) An application referred to in paragraph (a), shall be accompanied by
- 1) One copy of the maintenance organization exposition of the applicant which meet the requirements of these Regulations and which shall be approved by the Director.
- c) Where the applicant referred to in paragraph (a)(4), does not read, speak, write and understand the English Language, but employs a person who can read, speak, write and understand the English Language, that person shall have a management and technical function in his approved maintenance organisation.
- d) An applicant under this Regulation shall ensure that the procedures and specifications set out in the maintenance organization exposition referred to in paragraph (b) (1) are implemented prior to

the issue of the aircraft maintenance organisation certificate by the Director

- e) Nothing in paragraph (d) shall be construed as authorising the applicant to exercise the privileges of an aircraft maintenance organisation certificate before that certificate is issued by the Director in accordance with BCAR 145.17

BCAR 145.17 Process to obtain a BCAR - 145 Approval Certificate

- a) The Director may, after an evaluation of the application and subsequent inspection of the proposed facilities of the applicant, issue an approved maintenance organisation certificate to an applicant where he is satisfied that the applicant
- 1) meets the requirements of these Regulations;
 - 2) has implemented all the procedures and specifications set out in his maintenance organization exposition;
 - 3) is properly and adequately equipped to perform maintenance of Belizean aircraft or aircraft components for which he seeks approval; and
 - 4) has paid all fees as prescribed by the Director.
- b) The Director shall not issue an approved maintenance organisation certificate
- 1) where the applicant
 - i. does not meet the requirements of these Regulations
 - ii. has provided incomplete, inaccurate, fraudulent or false information in applying for the approved maintenance organisation certificate;



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

c) In order to obtain an approval certificate, the applicant shall undergo a certification process in accordance with following phases;

1) **PHASE 1. Pre-application:** It is the procedure that an applicant follows to receive the information concerning the granting of a BCAR -145 AC. During this phase, the first meeting between the applicant and the Director takes place. In addition, there is an exchange of information about the service the applicant wants to provide and the guidelines set by the Director regarding standards, procedures, responsibilities, and attributions for that service, as well as information about the technical documents the applicant shall submit.

2) **PHASE 2. Formal application:** The applicant submits the application to the Director as BCAR - 145 Maintenance Organization for its approval. This phase includes an assessment to the management personnel, the schedule of events, and the handing over of the corresponding documents to the Director.

3) **PHASE 3. Evaluation:** The Director goes through the documents submitted and informs the applicant about the discrepancies found, if any; if not, the Director issues the approval or acceptance of the application.

4) **PHASE 4 Technical demonstrations:** The Director conducts an inspection of the maintenance organization of the applicant, its personnel, documents, procedures, facilities, and equipment, to verify if they match the ones established in the MOE.

5) **PHASE 5 Certification:** Once the previous phases have been completed

satisfactorily, the Director will issue a BCAR -145 AC with its ratings.

d) No organization will be granted an approval to carry out any type of maintenance activities without concluding the certification process described in the previous paragraph(s).

**BCAR 145.20 Content of the Approval Certificate
(See Appendix A & IEM 145.20)**

a) An approved maintenance organization certificate issued in BCAR 145.15 shall consist of

1) a one page certificate signed by the Director set out in the approved maintenance organisation Standards; and

2) This BCAR -145 AC will specify the ratings approved in accordance with what is established in Table 1, Appendix A. The approved MOE in accordance with the BCAR -145 shall specify the scope of approval

b) The approved maintenance organization certificate shall contain the

1) Certificate number specifically assigned to the approved maintenance organisation by the Director;

2) Name and location of the main place of business of the approved maintenance organisation;

3) date of issue and period of validity;

4) terms of the approval; and

5) signature of the Director

c) An approved maintenance organisation may perform maintenance, preventive



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

maintenance and modifications on Belizean aircraft or their associated aircraft components or parts thereof only for which it is rated and within the limitations placed in its Approval Certificate.

- d) The holder of an approved maintenance organisation certificate shall keep such certificate on the premises of the approved maintenance organisation prominently displayed in a place normally accessible to the public and the Director.
- e) Each AMO shall prepare and retain a current capability list approved by the Director. The AMO may not perform maintenance, preventive maintenance, or modifications on a component until the component has been listed on the capability list in accordance with this Regulation.

BCAR 145.23 Transfer of Approval Certificate

- a) The BCAR-145 Approval Certificate is exclusively personal and is not transferable

BCAR 145.25 Facility Requirements

(See AMC 145.25)

- a) This Part prescribes the requirements for housing, facilities, equipment and materials for issue of an approved maintenance organisation certificate.
- b) An approved maintenance organisation shall provide the necessary housing and facilities in the required quantity and quality that meet the standards required for the issuance of the certificate and ratings that the approved maintenance organisation holds
- c) An approved maintenance organisation shall provide the necessary housing and other facilities that would allow proper performance of all planned work and protection of personnel, plants and equipment, tools and materials from weather elements.

d) An aircraft maintenance organisation shall ensure that

- 1) the work environment is safe and appropriate to the tasks to be carried out, observing at all times special requirements applicable to particular task without impairing the effectiveness of personnel;
- 2) the office accommodation is appropriate for the management of planned work including, in particular, the management of quality, planning, and technical records;
- 3) specialized workshops and bays are segregated, as appropriate, to ensure that the environment and work area contamination is minimized;
- 4) secure storage facilities are provided for parts, equipment, tools and material;
- 5) storage conditions ensure segregation of serviceable aircraft components and material from unserviceable aircraft components, materials, equipment and tools;
- 6) the storage conditions are in accordance with the instructions of the manufacturers, to prevent deterioration of and damage to stored items; and;
- 7) access to storage facilities are restricted to authorised personnel

**BCAR 145.30 Requirements for the Management Personnel
(See AMC 145.30)**

- a) This Part prescribes the requirements for administration of an approved maintenance organisation for the issue of an approved maintenance organisation certificate.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

- b) An approved maintenance organisation shall employ the necessary personnel to plan, perform, supervise, inspect and release the work to be performed.
- c) An applicant for an approved maintenance organisation certificate shall nominate a person as the Accountable Manager, acceptable to the Director, responsible for establishing and promoting the safety and quality policy with corporate authority for ensuring that maintenance, preventive maintenance and modification for which the aircraft maintenance organisation is authorised to perform can be financed and aircraft maintenance organization is authorised to perform can be financed and carried out to the standard required by the Director.
- d) The Accountable Manager shall nominate a management person or group of management persons (hereinafter referred to as "the nominated managers") whose responsibilities include ensuring that the approved maintenance organisation is in compliance with these Regulations.
- e) The Accountable Manager shall nominate a senior person with responsibility for monitoring the quality system of the approved maintenance organisation, including the associated feedback system having direct access to the Accountable Manager to keep him properly informed on quality and compliance matters.
- f) The nominated managers shall represent the maintenance management structure of the approved maintenance organisation reporting to the Accountable Manager and responsible for all functions of the approved maintenance organisation specified in these Regulations.
 - 1) The Director of Maintenance shall be that the person has
 - i. Possession of a Belize Aircraft Maintenance Engineer's License with airframe and powerplant ratings
 - ii. 5 years experience in maintaining the same aircraft category and aircraft class used by the national air operator including one year in the capacity of returning aircraft to service.
 - iii. 1 year supervisory experience maintaining the same category and class used by the national operator.
 - 2) The Quality Manager shall be that the person has
 - i. Possession of a Belize Aircraft Maintenance Engineer's License with airframe and powerplant ratings.
 - ii. 5 years experience in maintaining the same aircraft category and aircraft class used by the national air operator including 1 year in the capacity of returning aircraft to service.
 - iii. Have attended at least 40 hrs training in quality systems and audits.
 - g) The approved maintenance organisation shall have a maintenance man-hour plan showing that the organisation has sufficient staff to plan, perform, supervise, inspect, issue certificate of release to service and monitor the quality of the activities performed by the organisation in accordance with the approval.
 - h) An approved maintenance organisation shall have a procedure to re-assess work intended to be carried out when actual staff availability is less than the planned staffing level for a particular work period or shift.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

- i) The competency of personnel involved in the performance of maintenance, supervision, management and quality audits for an approved maintenance organisation shall be established and controlled in accordance with procedures and to standards approved by the Director.
- j) The competence of personnel referred to in paragraph (i), shall include an understanding of the application of human factors and human performance issues appropriate to the functions of such persons in the organisation.
- k) An approved maintenance organisation shall ensure that persons who carry out or control a continued airworthiness non destructive test of aircraft structures or aircraft components shall be qualified for the particular non-destructive test to a standard prescribed by the Director.
- l) An approved maintenance organisation shall issue a company authorisation in writing to appropriately qualified engineers within his organisation, to issue a certificate of release to service for aircraft and their associated aircraft components following satisfactory completion of maintenance.
- m) A company authorisation to issue a certificate of release to service referred to in paragraph (l), shall clearly specify the scope and limits of such company authorisation and contains a unique company authorisation number in respect of each certifying staff.
- n) An approved maintenance organization shall ensure that certifying staff meet the qualification requirements of BCAR APL Section Part 10 and receive initial and continuous training in their assigned tasks and responsibilities in accordance with the programme specified in his MOE
- o) An approved maintenance organisation shall ensure that the training programme referred to in BCAR 145.31(b), includes training in knowledge and skills related to human performance, including co-ordination with other maintenance personnel and flight crew.
- p) An approved maintenance organisation shall include procedures in the maintenance organization exposition for the performance of maintenance and issue of certificate of release to service in respect of maintenance of Belizean aircraft and their associated aircraft components approved by the Director.
- q) Notwithstanding paragraph (l), an approved maintenance organisation may submit procedures in the maintenance organization exposition for approval by the Director, for the issue of company authorisation to qualified persons specified under the following circumstances, subject to compliance with the conditions stated for each circumstance:
 - 1) for a repetitive pre-flight airworthiness directive which specifically states that the flight crew may carry out such airworthiness directive, the approved maintenance organisation may issue a limited certification authorisation to the pilot in command, or co-pilot subject to being satisfied that sufficient practical training has been carried out to ensure that such pilot in command or co-pilot can accomplish the airworthiness directive to the required standard; and
 - 2) for the unforeseen circumstances where an aircraft is grounded at a location not having an approved maintenance organisation, the organisation contracted to provide maintenance support may issue a one-off authorisation to a person at that location who has at least 5 years experience and holds a valid aircraft maintenance



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

engineer licence rated for the aircraft type requiring certification, or an equivalent certificate issued by a Contracting State subject to the approved maintenance organisation obtaining and holding on file, evidence of the experience and licence of such person.

- r) Where a certificate of release to service was issued under paragraph (s)(2), the approved maintenance organisation shall report to the Director such event within 7 days of the issuance of such authorisation.
- s) Where the maintenance performed and certified under paragraph (s)(2) could affect flight safety, such maintenance and associated systems shall be re-checked and re-certified at the first opportunity by an authorised engineer of the approved maintenance organisation

BCAR 145.31 Maintenance Personnel
(See AMC 145.31)

- a) An approved maintenance organisation shall establish and control the competence of personnel involved in any maintenance, maintenance management, inspection, and quality audit in accordance with an acceptable procedure agreed by the BDCA. In addition to the specialized knowledge to carry out their task, competence shall include the understanding of the application of the appropriate elements on human factors and human performance to the positions of these persons in the organization.
- b) The BCAR 145 AMO shall establish and put into practice an initial training programme and continuation training appropriate to their assigned tasks and responsibilities, at least every two years, to ensure that the person in charge of maintenance updates his knowledge regarding technologies, procedures of the organization and human factors.

BCAR 145.32 Specialized Services Personnel (NDT)
(See AMC 145.32)

- a) An approved maintenance organisation shall ensure that persons who carry out or control a continued airworthiness non destructive test of aircraft structures or aircraft components shall be qualified for the particular non-destructive test to a standard prescribed by the Director.
- b) Since September 1st 2005, personnel who carry out non destructive tests (NDT) of aircraft structures or components shall be qualified for every type of non destructive test in accordance with regulations recognised internationally as the EN 4179 from Europe and the regulations NAS 410, MIL-STD and/or ASNT from the United States. Until today, the national regulations in this subject can be still used.
- c) Regardless of what was established in the previous paragraph (b), the NDT personnel that have been qualified before September 1st, 2005, in accordance with the national regulations in this subject, can still carry out the non destructive test (NDT) after September 1st, 2005. However, the personnel, who pretend to carry out non destructive tests from September 1st, 2005 and have not been qualified under the national regulation before that date, shall be qualified in accordance with paragraph (b).

BCAR 145.35 Certifying Staff
(See IEM 145.35)

- a) The applicant for an approved maintenance organisation certificate shall submit procedures in his maintenance organization exposition for the issue of company authorisation to qualified personnel of the organisation, for approval by the Director.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

- b) An approved maintenance organisation may issue or re-issue a company authorisation to a qualified person where that person
- 1) holds a valid Type Rated Belizean aircraft maintenance engineer licence issued under the Belize Civil Aviation Regulation(BCAR APL Part 10 or an equivalent qualification approved by the Director, which attests to his knowledge and experience;
 - 2) has an adequate understanding of the relevant aircraft and aircraft components to be maintained and for which authorisation privileges are sought and is thoroughly familiar with the relevant approved maintenance organisation systems and procedures;
 - 3) has successfully completed initial and continuation training in his assigned tasks and responsibilities in accordance with a programme approved by the Director;
 - 4) has successfully completed training in knowledge and skills related to human performance, including co-ordination with other maintenance personnel and flight crew;
 - 5) has satisfied the experience and skills requirements in accordance with the training programme approved by the Director; and
 - 6) has satisfied all other requirements of the maintenance organization exposition for the issue of the authorisation.
- c) A person issued company authorisation by an approved maintenance organisation in paragraph (b), shall be referred to as an "certifying staff" under these Regulations.
- d) An approved maintenance organisation shall ensure that all certifying staff has actually carried out maintenance on some of the aircraft systems or associated aircraft components as appropriate, specified in his authorisation and have exercised the privileges of his certification authorisation for at least 6 cumulative months in any consecutive 24 month period.
- e) An approved maintenance organisation shall ensure that all certifying staff receives sufficient continuation training in each 24 month period to ensure that they have current knowledge of relevant technology, organisation procedures and human factor issues.
- f) An approved maintenance organisation shall establish a programme for the continuation training and procedures to ensure compliance with paragraph (e) as one of the requirements for the issue and re-issue of a company authorisation to certifying staff.
- g) An approved maintenance organisation shall assess current and prospective certifying staff for their competence, qualification and capability to carry out intended certifying duties in accordance with the maintenance organization exposition before the issue or re-issue of a company authorisation as appropriate.
- h) The senior manager responsible for the quality system shall establish a company authorisation system, procedures for the issue of company authorisation documented in the maintenance organization exposition and be responsible for the issue of company authorisations to certifying staff on behalf of the approved maintenance organisation
- i) The senior manager responsible for the quality system referred to in paragraph (h) may delegate to other persons under his direct control his power to issue company authorisation in accordance with procedures specified in the maintenance organization exposition approved by the Director.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

- j) An approved maintenance organisation shall maintain records of all certifying staff within its organisation, which shall include details of any aircraft maintenance engineer licence held, all training completed and the scope and limitation of their authorisation.
- k) The approved maintenance organisation, referred to in paragraph (j), shall provide each certifying staff with a copy of his company authorisation, which may be in hard copy or electronic format.
- l) All certifying staff shall produce their company authorisation to the Director or his authorised representative within a reasonable time of a request.

BCAR 145.37 Rest and Duty limitation for Mechanics

- a) A person shall not assign, nor shall any person perform duty maintenance functions on an aircraft, unless that person has had a minimum rest of 8 hours prior to commencing duty.
- b) The approved maintenance organisation shall relieve a person performing maintenance functions from all duties and a person performing maintenance functions shall not perform any maintenance functions for 24 consecutive hours during any consecutive 7 day period.

BCAR 145.40 Equipment, Tools and Materials
(See AMC 145.40)

- a) The organisation shall have available and use the necessary equipment, tools and material to perform the approved scope of work.
 - 1) Where the manufacturer specifies a particular tool or equipment, the organisation shall use that tool or equipment, unless the use of alternative tooling or equipment is agreed by the

competent authority via procedures specified in the exposition.

- 2) Equipment and tools must be permanently available, except in the case of any tool or equipment that is so infrequently used that its permanent availability is not necessary. Such cases shall be detailed in an exposition procedure.
- 3) An organisation approved for base maintenance shall have sufficient aircraft access equipment and inspection platforms/docking such that the aircraft can be properly inspected.

- b) The organisation shall ensure that all tools, equipment and particularly test equipment, as appropriate, are controlled and calibrated according to an officially recognised standard at a frequency to ensure serviceability and accuracy. Records of such calibrations and traceability to the standard used shall be kept by the organisation.
- c) An approved maintenance organisation shall establish and keep all records of calibrations and standards used for calibration for 2 years from the date the equipment was withdrawn from service or destroyed.

BCAR 145.42 Acceptance of Components

- a) All components are accepted in accordance with BCAR 21 prior to entering the receiving AMO, they shall be classified and appropriately segregated into the following categories:
 - 1) Components which are in a satisfactory condition, released on a Form 1 (F-1) or equivalent and marked in accordance with BCAR - 45.
 - 2) Unserviceable components which shall be maintained in accordance with this section.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

- 3) Unsalvageable components which are classified in accordance with BCAR - 145.42 (d).
 - 4) Standard part used on an aircraft, engine, propeller or another aircraft component when specified in the manufacturer's illustrated parts catalogue and/or the maintenance data.
 - 5) Material both raw and consumable used in the course of maintenance when the organisation is satisfied that the material meets the required specified and has appropriate traceability
 - 6) All material must be accompanied by documentation clearly relating to the particular material and containing conformity to specification statement plus both the manufacturing and supplier source.
- b) Prior the installation of a component, the organisation shall ensure that the particular component is eligible to be fitted when different modification and/or airworthiness directive standards may be applicable
- c) The organisation may fabricate a restricted range of parts to be used in the course of undergoing work within its own facilities provided procedures are identified in the MOE.
- d) Components which have reached their certified life limit or contain a non-repairable defect shall be classified as unsalvageable and shall not be permitted to re-enter the component supply system unless certified life limits have been extended or a repair solution has been approved according to BCAR 43
- BCAR 145.45 Maintenance Data**
(See AMC 145.45)
- a) An approved maintenance organisation shall ensure that all airworthiness and maintenance data appropriate to support the work performed is received, held and used in the performance of maintenance including modifications and repairs of an aircraft component or process specified in the maintenance organization exposition.
 - b) Applicable airworthiness and maintenance data specified in paragraph (a) refer to
 - 1) any applicable requirements, procedures, airworthiness directive, operational directive or information issued by the Director;
 - 2) any applicable airworthiness directive issued by the Civil Aviation Authority of a Contracting State which issued the original type certificate;
 - 3) any applicable data, such as but not limited to, maintenance and repair manuals, issued by an organisation approved by the Civil Aviation Authority of the Contracting State, for type certificate holder, supplemental type certificate holders and any other organisation approved to publish such data by the appropriate Civil Aviation Authority of Contracting States; and
 - 4) any applicable standard, such as but not limited to, maintenance standard practices issued by a Civil Aviation Authority of any Contracting State, institute or organisation and recognized by the Director as an acceptable standard for maintenance
 - c) An approved maintenance organisation shall establish procedures that ensure that where found, any inaccurate, incomplete or ambiguous procedures, practices, information or maintenance instructions contained in the maintenance data used by maintenance personnel is recorded and



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

- notified to the author of the maintenance data.
- d) An approved maintenance organisation shall not modify airworthiness and maintenance data to another format or presentation more useful to its maintenance activities, unless such approved maintenance organisation submits to the Director for approval, an amendment to the maintenance organization exposition for any such proposed modifications.
- e) The maintenance instruction in paragraph (d) refers to an instruction on how to carry out a particular maintenance task and shall not authorise the design of repairs and modifications.
- f) An approved maintenance organisation shall establish procedures in the maintenance organization exposition to ensure that appropriate action is taken in the case of damage assessment and the need to use only approved repair data.
- g) An approved maintenance organisation shall provide a common work card or worksheet system for use throughout relevant parts of the organisation.
- h) Work cards and worksheets referred to in paragraph (g) may be computer generated and held on an electronic data base subject to having adequate safeguards against unauthorised alteration and a backup electronic data base which is updated within 24 hours of any entry being made to the main electronic data base.
- i) Where the approved maintenance organisation provides maintenance service for an operator who requires the use of his work cards and worksheet system to be used, the approved maintenance organisation shall establish procedures to ensure correct completion of the aircraft operator work cards and worksheets
- j) An approved maintenance organisation shall ensure that all applicable maintenance data is readily available for use when required by maintenance personnel
- k) An approved maintenance organisation shall ensure that all maintenance data controlled by him is kept current.
- l) Where an approved maintenance organisation provides maintenance service for an operator who controls and provides maintenance data, the approved maintenance organisation shall require that such operator provides written confirmation that all such maintenance data is current, work orders specifying the amendment status of the maintenance data to be used or a copy of the maintenance data amendment list.

BCAR 145.47 Production Planning

(See AMC 145.47)

- a) An approved maintenance organisation shall have a system planning. appropriate to the amount and complexity of work to be performed to plan the availability of all necessary personnel, tools, equipment, materials, maintenance data and facilities in order to ensure the safe completion of the maintenance work
- b) Where an approved maintenance organisation plans maintenance tasks and organises shifts, human performance limitations shall be taken into account.
- c) When it is required to hand over the continuation or completion of a maintenance action for reasons of a shift or personnel change over, an approved maintenance organisation shall ensure that relevant information is adequately communicated between outgoing and incoming personnel in accordance with a procedure acceptable to the Director.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

BCAR 145.50 Certificate of Release to Service

(See AMC 145.50, IEM 145.50, Appendix B and IEM Appendix B)

- a) A certificate of release to service shall be issued by an appropriate certifying staff on behalf of the approved maintenance organisation when such certifying staff is satisfied that all maintenance required by the operator of the Belizean aircraft or its aircraft components, has been properly carried out by the approved maintenance organisation in accordance with procedures specified in the maintenance organization exposition of the approved maintenance organisation, taking into account the availability and use of the maintenance data specified in 145.45 and that there are no non-compliances which are known that hazard seriously the flight safety.
- b) Where maintenance has been performed on an aircraft component, which is not installed on an aircraft, a certificate of release to service shall be issued for such maintenance and another certificate of release to service shall be issued after the proper installation of such aircraft component on an aircraft, when such action occurs.
- c) A certificate of release to service shall contain
 - 1) basic details of the maintenance carried out including detailed reference of the approved data used;
 - 2) the date such maintenance was completed;
 - 3) the name, unique authorisation number of the certifying staff and his signature or stamp;
 - 4) name and certificate number of the approved maintenance organisation; and

5) an airworthiness compliance statement.

- d) By derogation to paragraph (a) of this section, when the BCAR - 145 AMO is unable to complete all maintenance required by the operator/owner only if the operator\owner has the BDCA approval to postpone the maintenance and that those tasks do not affect safety, such situation must be entered in the aircraft certificate of release to service. In cases where the operator does not have the approval to postpone the maintenance, the BCAR -145 AMO shall notify the situation to the operator/owner and to the BDCA.
- e) Certifying staff shall not issue a certificate of release to service on behalf of an approved maintenance organisation where such certifying staff or the approved maintenance organisation knows noncompliance, which could affect flight safety.

BCAR 145.55 Maintenance Records

(See AMC 145.55)

- a) An approved maintenance organisation shall record all details of maintenance work carried out on Belizean aircraft and its aircraft components, in a form acceptable to the Director. As a minimum, the organization shall retain records necessary to prove that all requirements have been meet for issuance of the certificate of release to service.
- b) An approved maintenance organisation shall provide a copy of each certificate of release to service to the aircraft operator, together with a copy of any specific approved repair modification airworthiness data used for repairs or modifications carried out.
- c) An approved maintenance organisation shall retain a copy of all detailed maintenance records and any associated airworthiness data for 2 years from the date the aircraft or



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

aircraft component was issued a certificate of release to service.

- 1) Records under this paragraph shall be stores in a safe way with regards to fire, flood and theft
- 2) Computer back discs, tapes etc shall be stored in a different location from that containing the working discs, tapes etc, in an environment that ensures they remain in good condition.
- 3) Where an organization approved under this Regulation teminates its operation, all retained maintenance records covering the last two years shall be distributed to the last owner or customer of the respective aircraft or component or shall be stored as specified by the Director.
- d) Where an air operator contracts an approved maintenance organisation to keep his maintenance records, certificates of release to service and any associated airworthiness data, such approved maintenance organisation shall retain the records in accordance with BCAR OPS 1.920

BCAR 145.60 Occurrence Reporting
(See AMC 145.60)

- a) An approved maintenance organisation shall report to the Director and the aircraft design organisation of the State of Design any identified condition that could present a serious hazard to the aircraft component.
- b) The approved maintenance organization shall establish an internal occurrence reporting system as detailed in the MOE to enable the collection and evaluation of such reports, including the assessment and extraction of those occurrences to be reported under paragraph (a). The procedure shall identify adverse trends, corrective actions taken or to be taken by

the AMO to address deficiencies and include evaluation of all known relevant information relating to such occurrences and a method to circulate the necessary information.

- c) All reports referred to in paragraph (a), shall be made in a form and manner prescribed by the Director and contain all pertinent information about the condition known to the approved maintenance organisation.
- d) Where the approved maintenance organisation is contracted by an air operator to carry out maintenance, the approved maintenance organisation shall report to the air operator any condition affecting the aircraft component.
- e) Reports required by this Regulation shall be made as soon as reasonably practicable, but no later than 72 hours after the condition to which the report relates has been identified

BCAR 145.65 Safety and Quality Policy, Maintenance Procedures and Quality System
(See BCAR 145.65)

- a) The BCAR -145 AMO shall establish a safety and quality policy for the organization to be included in the MOE under BCAR - 145.70.
- b) The BCAR - 145 AMO shall establish procedures acceptable to the BDCA, taking into account human factors and human performance to ensure good maintenance practices and compliance with the requirements of this BCAR - 145 including a clear work order or contract such that aircraft and components may be released to service in accordance with BCAR -145.50.
 - 1) The maintenance procedures under this section apply to BCAR – 145.25 to 145.95 and they will cover all the aspects of carrying out the maintenance activity, including the provision and



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

control of a specialised services and lay down the standards under which the organization intends to work.

- 2) With regard to aircraft line and base maintenance, the organization shall establish procedures to minimise the risk of multiple errors and capture errors on critical systems, and to ensure that no person is required to carry out and inspect in relation to a maintenance task involving some elements of disassembly/reassembly of several components of the same type fitted to more than one system on the same aircraft during a particular maintenance check. However, when only one person is available to carry out these tasks then the organization's work card or worksheet shall include an additional stage for re-inspection of the work by this person after completion of all the same tasks
- 3) Maintenance procedures shall be established to ensure that damage is assessed and modifications and repairs are carried out using approved data.
- c) The BCAR -145 AMO shall establish a quality system that includes the following:
 - 1) Independent audits in order to monitor compliance with required aircraft/aircraft component standards and adequacy of the procedures to ensure that such procedures invoke good maintenance practices and airworthy aircraft/aircraft components. In small BCAR -145 AMO the independent audit part of the quality system may be contracted to another BCAR -145 AMO or a person with appropriate technical knowledge and proven satisfactory audit experience acceptable for the BDCA, and
 - 2) A quality feedback reporting system to the person or group of persons specified

in BCAR -145.30 (d) and ultimately to the accountable manager that ensures proper and timely corrective action is taken in response to reports resulting from the independent audits established to meet the BCAR -145.65 (c) (1).

BCAR 145.66 Safety Management System

- a) Effective 1st March 2012 a maintenance organization shall implement a safety management system acceptable to the BDCA that, as a minimum;
 - 1) Identifies safety hazards;
 - 2) Ensures that remedial action necessary to maintain an acceptable level of safety is implemented;
 - 3) Provide for continuous monitoring and regular assessment of the safety level achieved, and
 - 4) Aims to make continuous improvement to overall level of safety.
- b) A safety management system shall clearly define lines of safety accountability throughout maintenance organization, including a direct accountability of safety on the part of the senior management.

BCAR 145.67 Programme to Control the Use of Narcotic Drugs, Enervating Substances and Alcohol

- a) Every holder of a BCAR -145 AC shall establish a programme to control the use of narcotic drugs, enervating substances, and alcohol for those employees involved in activities related to aircraft maintenance tasks or that in any way may affect the flight safety.
- b) The control methods shall be applied on schedule, at random, or by suspicion on particular situations and after an aerial accident or incident.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

- c) Every holder of a BCAR -145 AC contracting the activities mentioned in the previous paragraph (a), shall ensure that the sub-contractor has established in its own company an independent programme to detect these substances.
- d) In the case that a BCAR -145 AMO forms part of the structure of a BCAR OPS, and this operator meets the requirements established in BCAR OPS 1, it will not be necessary that the BCAR -145 AMO establishes an additional or independent control programme required in this paragraph.
- e) The BCAR -145 AMO shall develop this control programme mentioned in paragraph (a) as well as its related procedures and methods. A reference can be made in the MOE; however the same can be developed in a separate document and must be approved by the Director.
- BCAR 145.70 Maintenance Organization Expositions (MOE)**
(See AMC IEM 145.70)
- a) The maintenance organization exposition of the approved maintenance organisation and any subsequent amendments thereto shall be approved by the Director prior to use.
- b) An approved maintenance organisation shall set out the procedures, means and methods in its maintenance organization exposition by which it intends to operate.
- c) The approved maintenance organisation shall ensure that the maintenance organization exposition referred to in paragraph (b), is provided for the use and guidance of the organisation and all maintenance personnel and such maintenance personnel are familiar with those parts of the maintenance organization exposition that are relevant to the maintenance work they perform.
- d) A maintenance organization exposition under this Regulation shall contain details of the following subjects as set out in the Approved Maintenance Organisation Standards:
- 1) a statement signed by the Accountable Manager of the approved maintenance organisation and where the Chief Executive Officer is not the Accountable Manager, also by such Chief Executive Officer, confirming that the maintenance organization exposition and any associated manuals of the approved maintenance organisation are in compliance with these Regulations and shall be complied with at all times
 - 2) an organisation chart showing associated chain of responsibility of the management personnel specified in paragraph (4); the specific scope of work required by the approved maintenance organisation in order to satisfy the relevant requirements needed for obtaining an approval to issue certificate of release to service in respect of maintenance of Belizean aircraft and their associated aircraft components;
 - 3) the titles and names of the management personnel approved by the Director which may be kept separate from the maintenance organization exposition but shall be kept current and available for review by the Director when requested;
 - 4) the duties and responsibility of the management personnel and the matters on which they may deal directly with the Director on behalf of the approved maintenance organisation
 - 5) a current list of certifying staff which may be kept separate from the maintenance organization exposition but the list and the procedures to establish



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

- and maintain such list shall be available for review by the Director;
- 6) a description of the procedures used to establish the competence of maintenance personnel;
- 7) instructions and information necessary to allow all personnel to perform their duties with a high degree of safety;
- 8) general description of manpower resources;
- 9) a description of the method used for the completion and retention of maintenance records;
- 10) a description of the procedures for preparing the certificate of release to service and the circumstances under which it is to be signed;
- 11) a description, where applicable, of additional procedures for complying with maintenance procedures and requirements of the national air operator;
- 12) a description of the procedures for complying with the reporting requirements of BCAR 145.60;
- 13) a procedure for receiving, amending and distributing, within the approved maintenance organisation, all necessary airworthiness data from the type certificate holder or the type design organisation;
- 14) a general description of the facilities located at each address specified in the approved maintenance organisation certificate;
- 15) The procedures and quality system established by the BCAR -145 AMO in accordance with that stated under
- BCAR - 145.25 to BCAR -145.95 inclusive.
- 16) the notification procedure to be used by the approved maintenance organisation when requesting approval by the Director for changes to the approved maintenance organisation;
- 17) procedures to be adopted by the approved maintenance organisation when making amendments to the maintenance organization exposition, including submissions to the Director;
- 18) the procedures adopted by the approved maintenance organisation and approved by the Director, to ensure good maintenance practices and compliance with all relevant requirements of these Regulations;
- 19) the procedures of the approved maintenance organisation for establishing and maintaining an independent quality system to monitor compliance with, and the adequacy of the procedures to ensure good quality maintenance practices and airworthy aircraft and aircraft components;
- 20) the safety and quality policy of the approved maintenance organisation;
- 21) the procedures of the approved maintenance organisation for self-evaluations, including methods and frequency of such evaluations, and procedures for reporting results to the Accountable Manager for review and action;
- 22) a list of operators, where appropriate, to which the approved maintenance organisation provides aircraft maintenance services;



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

- 23) a list of organisations performing maintenance on behalf of the approved maintenance organisation; and
- 24) a list of the line maintenance locations and procedures of the approved maintenance organisation, where applicable
- e) The system to monitor compliance referred to in paragraph (d)(20) shall include a feedback system to the nominated managers specified in BCAR 145.30, and ultimately to the Accountable Manager to ensure, as necessary, corrective action is taken in response to reports resulting from independent audits established to meet the requirements under BCAR 145.65.
- f) A maintenance organization exposition and any other manual referred therein shall
1. be in a form that is easy to revise and contain a system which allows personnel to determine current revision status;
 2. have the date of the last revision printed on each page concerned;
 3. not be inconsistent with the Regulations made thereunder;
 4. not be inconsistent with the approval certificate; and
 5. include a reference to the appropriate Regulations.
- g) In addition to the matters set out in paragraph (d), the maintenance organization exposition referred therein may be produced either
- 1) in a series of parts;
 - 2) as a series of volumes; or
- 3) as a single document.
- h) The approved maintenance organisation shall ensure that all amendments to its maintenance organization exposition, which are necessary to keep the information contained therein current, are submitted to the Director for approval
- i) An approved maintenance organisation shall ensure that all amendments to its approved maintenance organization exposition are provided promptly to all persons of the approved maintenance organisation to whom the manual has been issued.
- j) For the development of the maintenance organization exposition it is necessary to follow the structure and content established in appendix C of section 1.

**BCAR 145.75 Privileges of a BCAR - 145 AMO
(See IEM 145.75)**

- a) An approved maintenance organisation may perform the following tasks as permitted by and in accordance with the maintenance organization exposition of the approved maintenance organisation:
- 1) maintain a Belizean aircraft and its associated aircraft components for which it is approved at the location identified in the approved maintenance organisation certificate;
 - 2) arrange for maintenance of a Belizean aircraft and its aircraft components for which it is approved at another organisation that is working under the quality system of the approved maintenance organisation, within the limitation of his approved maintenance organisation certificate;
 - 3) maintain a Belizean aircraft and its aircraft components for which it is approved, at any location subject to the



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

- need for such maintenance arising either from the unserviceability of the aircraft component, or from the necessity of supporting occasional line maintenance subject to the conditions specified on the approved maintenance organisation certificate and the procedures in the maintenance organization exposition;
- 4) maintain a Belizean aircraft and its aircraft components for which it is approved, at a location identified as a line maintenance location, capable of supporting minor maintenance where the maintenance organization exposition permits such activities and lists such locations;
- 5) maintain a Belizean aircraft and its aircraft components in support of a specific national air operator where such national air operator has requested the services of the approved maintenance organisation at locations other than its main base where it has a rating in its approval certificate, approved by the Director to maintain the aircraft of that specific national air operator at the requested location; and
- 6) issue a certificate of release to service in respect of paragraphs (1) through (5) upon completion of maintenance in accordance with the ratings and limitations of its Approval Certificate.
- b) An approved maintenance organisation
- 1) shall not contract out the maintenance, preventive maintenance, modification or alteration of a complete type certified aircraft component for which it is rated unless approved to do so by the Director; and
- 2) shall not certify a Belizean aircraft or its associated aircraft components where
- the entire maintenance of such Belizean aircraft or its aircraft component has been sub-contracted.
- c) Where an approved maintenance organisation contracts out maintenance, preventive maintenance, modification or alteration of an aircraft component for which it is rated, that is not a complete type-certified aircraft component, such approved maintenance organisation shall not issue a certificate of release to service in respect of such maintenance, preventive maintenance, modification or alteration of the aircraft component.
- d) An approved maintenance organisation shall not maintain or modify any Belizean aircraft and its aircraft components for which it is rated at a place other than its premises unless
- 1) the function would be performed in the same manner as when performed at its premises and in accordance with these Regulations;
- 2) all necessary personnel, equipment, material, technical and approved standards are available at the place where the work is to be done;
- 3) the maintenance organization exposition provides approved procedures governing work to be performed at a place other than its premises; and
- 4) it informs the Director and receives approval in writing for each task prior to undertaking such task.

**BCAR 145.80 Limitations of a BCAR – 145
AMO**

(See IEM 145.80)

- a) An approved maintenance organisation shall not perform maintenance on a Belizean aircraft and its associated aircraft



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

component for which it is rated unless it has available the required housing;

- 1) facilities;
- 2) equipment;
- 3) tools;
- 4) material;
- 5) maintenance data;
- 6) approved technical data; and
- 7) appropriately trained maintenance and certifying staff.

BCAR 145.85 Changes to the BCAR – 145 AMO

(See IEM 145.85)

a) Where the holder of an approved maintenance organisation certificate wishes to make changes to his certificate in relation to

- 1) the name of the organisation;
- 2) the location of the organisation;
- 3) the housing, facilities, equipment, tools, material, procedures, work scope and certifying staff that could affect the approved maintenance organisation rating;
- 4) the ratings held by the approved maintenance organisation, whether granted by the Director or held through an approved maintenance organisation certificate issued by another Contracting State;
- 5) additional locations of the organisation;
- 6) the Accountable Manager; and

7) the list of management personnel identified in the MOE,

he shall provide written notification to the Director of his intention to make such change at least 7 days before the submission of the application for the amendment.

b) Upon receipt of a notification referred to in paragraph (a), the Director shall notify the applicant of any special procedures to be followed for amending his approved maintenance organisation certificate including the minimum time frame for submission of the application under paragraph (a).

c) An application referred to in paragraph (a), shall be

- 1) in the prescribed form;
- 2) accompanied by the prescribed fee; and
- 3) accompanied by the required amendment to the maintenance organization exposition for approval by the Director.

d) The Director may approve the amendment of an approved maintenance organisation certificate and issue a new approved maintenance organisation certificate with the old approved maintenance organisation certificate number where he is satisfied that the applicant continues to meet the required standards and other requirements under these Regulations;

- 1) is properly and adequately equipped to perform maintenance on Belizean aircraft or their associated aircraft components for which the amendment is sought; and
- 2) has paid all fees as prescribed by the Director.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

- e) Where the amendment to an approved maintenance organisation certificate involves a change of ownership, the applicant shall provide the Director with such evidence of the change of ownership.
- f) Notwithstanding paragraph (d), the Director may assign a new approved maintenance organisation certificate number to the amended certificate where the amendment involves a change of ownership specified in paragraph (e).
- g) Notwithstanding paragraph (d), the Director may where an approval has been granted for the amendment, prescribe in writing, the conditions under which the approved maintenance organisation may continue to operate during any period of implementation of the changes referred to in paragraph (a).
- h) Any changes made to an approved maintenance organisation certificate in paragraph (a) without the required notification or approval shall be ineffective unless approved by the Director.
- i) The Director may suspend an approved maintenance organisation certificate where the holder of such certificate makes any change listed in paragraph (a), to the approved maintenance organisation without
- 1) notifying the Director; and
 - 2) having such amendment approved by the Director
- j) Where changes are made to an approved maintenance organisation in breach of this Regulation, the Director may suspend the approved maintenance organisation certificate.
- a) A certificate issued to an approved maintenance organisation by the Director shall be valid for the remainder of the month in which it was issued plus 12 months thereafter, unless
- 1) it is surrendered to the Director by the approved maintenance organisation;
 - 2) it is suspended or revoked by the Director;
 - 3) the holder of the approved maintenance organisation certificate no longer has a fixed base of operation; or
 - 4) the holder of the approved maintenance organisation certificate no longer has the equipment or facilities to perform maintenance of Belizean aircraft or their associated aircraft components.
- b) The holder of an approved maintenance organisation certificate shall return the approval certificate to the Director where it:
- 1) is expired;
 - 2) is surrendered by the approved maintenance organisation; or
 - 3) is suspended or revoked by the Director.
- c) A valid approved maintenance organisation certificate shall continue to remain in force on condition that
- 1) the holder of the approved maintenance organisation certificate maintains compliance with these Regulations;
 - 2) the Director is permitted access at any time, to the facilities of the approved maintenance organisation to conduct inspections to determine continued compliance with these Regulations;

BCAR 145.90 Continued Validity of Approval



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

- 3) the holder of the approved maintenance organisation certificate has not surrendered such certificate to the Director; and
- 4) the approved maintenance organisation certificate has not been suspended or revoked by the Director.
- d) Where an approved maintenance organisation is no longer in compliance with these Regulations, the Director may suspend or revoke his certificate
- e) Where the holder of an approved maintenance organisation certificate wishes to renew his certificate, he shall
 - 1) apply to the Director in the prescribed form;
 - 2) submit his application no later than 60 days before the current certificate expires; and
 - 3) pay the prescribed fee
- f) The Director may, after an evaluation of the application for renewal of an approved maintenance organisation certificate referred to in paragraph (e) and inspection of the facilities of the approved maintenance organisation, renew the approved maintenance organisation certificate where he is satisfied that the applicant
 - 1) meets the requirements of these Regulations;
 - 2) has maintained all the procedures and specifications set out in its maintenance exposition;
 - 3) continues to be properly and adequately equipped to perform maintenance of Belizean aircraft or aircraft components for which he seeks approval; and

- 4) has paid all fees as prescribed by the Director.

BCAR 145.95 Exemptions
(See IEM |45.95)

- a) The Director may exempt an organization from a requirement in BCAR – 145 AMO when satisfied that [a situation exists not envisaged by a BCAR–145 requirement], and subject to compliance with any supplementary condition(s) must be agreed by the Director to ensure an equivalent level of safety in that particular case
- b) The Director should keep a record of these exemptions.

BCAR 145.100 Revocations, Suspension, Limitation or Refusal to Issue or Re-issue of the BCAR – 145 Approval Certificate
(See IEM 145.100)

- a) The Director may, on reasonable grounds, and after due enquiry, revoke, suspend, limit, or refuse the issue or renewal of the BCAR -145 AC, if the Director is not satisfied that the holder of the approval certificate continues to meet the requirements of BCAR – 145.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

APPENDICES

Appendix A

BCAR -145 AMO Ratings
(See **BCAR -145.20**)

Except as stated in Annex 1 for small BCAR - 145 AMOs, Table 1 outlines all the possible ratings to be issued for a BCAR 145 AMO. The rating can vary from a single class and subclass to a rating with limitations to all the classes and ratings.

In addition to Table 1, the BCAR - 145. approved maintenance organization requires that the BCAR -145.20 to indicate scope of work in the MOE. The BCAR -145.70(a) (9) also refers to the same scope of work and it shall be clarified that the capability list is one of the ways to express such scope.

Within the classes and ratings approved by the BDCA, the scope of work specified in the MOE defines the exact limits of approval. It is therefore essential that the approval classes and ratings and the scope of work in the MOE are compatible.

Category A class rating means that the BCAR - 145 approve maintenance organization may carry out maintenance on the aircraft and any component (including engines/APUs) only whilst such components are fitted to the aircraft except that such components can be temporarily removed for maintenance when such removal is expressly permitted. The limitation section will specify the scope of such maintenance thereby indicating the extent of approval. Category A is subdivided in base and/or line maintenance. A BCAR -145 approved maintenance organization can be approved for base or line maintenance or for both. A BCAR -145 approved maintenance organization that has facilities to carry out line maintenance in the maintenance main base also requires a line maintenance rating. The MOE on its section 1.9 "scope of work of the

organization" should reflect such activity permitted by the BDCA.

Category B class rating means that the BCAR 145 approved maintenance organization may carry out maintenance on the uninstalled engine/APU and engine/APU components only whilst such components are fitted to the engine/APU except that such components can be temporarily removed for maintenance when such removal is expressly permitted by the engine/APU manual to improve access for maintenance. The limitation section will specify the scope of such maintenance thereby indicating the extent of approval. A BCAR -145 approved maintenance organization with a category B class rating may also carry out maintenance of an installed engine during 'base' and 'line' maintenance subject to a control procedure in the MOE acceptable to the Director. The MOE section 1.9 "Scope of work of the organisation" should reflect such activity permitted by the Director.

Category C class rating means that the BCAR -145 approved maintenance organization may carry out maintenance on uninstalled components (excluding engines and APUs) intended for fitment to the aircraft or engine/APU. The limitation section will specify the scope of such maintenance thereby indicating the extent of approval. A BCAR -145 approved maintenance organization with a category C class rating may also carry out maintenance on an installed component during base and line maintenance or at an engine/APU maintenance facility subject to a control procedure in the MOE acceptable to the BDCA Authorities. The MOE on its section 1.9 "Scope of work of the organization" should reflect such activity permitted by the BDCA.

Category D class rating is a self contained class rating not necessarily related to a specific



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

aircraft, engine or other component. The subclass D1 is for - Non Destructive [Testing (NDT)]. The MOE on its section 1.9 "Scope of work of the organization" should reflect such activity permitted by the BDCA.

A BCAR -145 approved maintenance organization which employs only one person to both plan and carry out all maintenance can only hold a limited scope of approval rating.

Category E class rating means that the BCAR -145 approved maintenance organization can carry out maintenance tasks to uninstalled propellers in an aircraft. The limitation section will specify the scope of such maintenance thereby indicating the extent of approval. A BCAR -145 approved maintenance organization with a category E class rating may carry out maintenance tasks to propellers installed in an aircraft during base or line maintenance subject to a control procedure in the MOE acceptable to the BDCA. The MOE on its section 1.9 "Scope of work of the organisation" should reflect such activity permitted by the BDCA.

The 'limitation' section is intended to give the BDCA maximum flexibility to customise the approval to the needs of the BCAR -145 approved maintenance organization. Table 1 specifies the types of possible limitations. The BDCA will specify in this section the manufacturer of the aircraft, type, and series or group of series or the groups of piston single engine aircrafts or piston Lycoming engines not supercharged as well as any other limitation considered relevant.

When a lengthy capability list is used which could be subject to frequent amendments, then such amendments shall be in accordance with a procedure acceptable to the BDCA and shall be included in the MOE. The procedure should address the issues of who is responsible for capability list amendment control and the actions that need to be taken for amendment. Such actions include ensuring compliance with the BCAR -145 for components or services added to the list.

Table 2 identifies the ATA specification 100 chapter for the category C component rating.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

**TABLE 1
Approved ratings
(BCAR – 145 AMO)**

CLASS	RATING	LIMITATION	BASE	LINE
A Aircraft	A1 Aeroplanes/ above 5.700 Kg.	Will state type/series and/or maintenance task(s)		
	A2 Aeroplanes/ 5.700 Kg. and below	Will state manufacturer/groups/types/series and/or maintenance task(s)		
	A3 Helicopters	Will state manufacturer/groups/types/series and/or maintenance task(s)		
B Engines	B1 Turbine	Will state manufacturer/types/series and/or maintenance task(s)		
	B2 Piston	Will state manufacturer/types/ series and/or maintenance task(s)		
	B3 APU	Will state manufacturer/ types/ series and/or maintenance task(s)		
C Components (other than complete engines / APUs)	C1 Air Cond & Press	Will state aircraft type, or aircraft manufacturer, or component manufacturer and cross reference to a capability list and the maintenance task(s)		
	C2 Auto flight			
	C3 COMMs/NAV.			
	C4 Doors & Hatches			
	C5 Electrical Power			
	C6 Equipment			
	C7 Engine / APU			
	C8 Flight Controls			
	C9 Fuel / Airframe			
	C10 Helicopter Rotors			
	C11 Helicopter Trans			
	C12 Hydraulic			
	C13 Instruments			
	C14 Landing Gear			
	C15 Oxygen			
	C16 Pneumatic			
	C17 Protection ice/rain/fire			
	C18 Windows			
	C19 Structural			
D Specialised Services	D1 Non-Destructive Testing (NDT)	Will state NDT method(s)		
E Propellers	E1 Fixed Pitch	Will state manufacturer/ type/ series and/or maintenance tasks		
	E2 Variable Pitch			



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

TABLE 2

CATEGORY C versus ATA 100

CLASS	RATING	ATA CHAPTERS
C Components (other than complete engines or APUs)	C1 Air Cond & press	21
	C2 Auto Flight	22
	C3 Comms and Nav	23 – 34
	C4 Doors – Hatches	52
	C5 Electrical Power	24 – 33
	C6 Equipment	25 – 38 – 45
	C7 Engine / APU	49 – 71 – 72 – 73 – 74 – 75 – 76 – 77 –78 – 79 – 80 – 81 – 82 – 83
	C8 Flight Controls	27 – 55 – 57.40 – 57.50 – 57.60 – 57.70
	C9 Fuel – Airframe	28
	C10 Helicopter –Rotors	62 – 64 – 66 – 67
	C11 Helicopter- Trans	63 – 65
	C12 Hydraulic	29
	C13 Instruments	31
	C14 Landing Gear	32
	C15 Oxygen	35
	C16 Pneumatic	36 – 37
	C17 Protection ice/ rain/ fire	26-30
	C18 Windows	56
	C19 Structures	53 – 54 – 57.10 – 57.20 – 57.30
E Propellers	E1 Fixed Pitch	61
	E2 Variable Pitch	



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

**Appendix B
(See BCAR 145.50 and IEM Appendix B)**

Certificate of Release to Service (Components) / Form One (F-1)

(a) INTRODUCTION

This appendix covers the forms of the certificates of release to service of components or parts of components after carrying out maintenance tasks. The equivalent Form to the F-1 is: the "JAA Form One" from the JAA, the "FAA Form 8130-3" from the FAA, and the "TCCA Form 24-0078" from Transport Canada.

(b) PURPOSE AND SCOPE

The purpose of the Certificate is to release items/components/parts hereinafter referred to as item(s) after manufacture and to release maintenance work carried out on such items under the approval of the BDCA, and to allow items removed from one aircraft/aircraft components to be fitted to the same or another aircraft/aircraft component. This is the authorised certificate to release to service components.

The Certificate is to be used for export/import purposes, as well as for domestic purposes, and serves as an official certificate for items from the manufacturer/ BCAR - 145 AMO to its owners/operators. The certificate is not a delivery or shipping note.

The certificate can only be issued by the BCAR -145 AMO for those items within its capability list or scope of the approval.

The Certificate may be used as a rotatable tag by utilising the available space on the reverse side of the certificate for any additional information and despatching the item with two copies of the certificate so that one copy may be eventually returned with the item to the BCAR -145 AMO. The alternative solution is to use existing rotatable tags and also supply a copy of Form One (F-1).

Under no circumstances may a Form One (F-1) be issued for any item when it is known that the item has a defect considered a serious hazard to flight safety.

A Form One (F-1) should not be issued for any item when the AMO knows that the item is unserviceable except in the case of an item undergoing a series of maintenance processes at several BCAR -145 AMOs and the item needs a certificate for the previous maintenance process carried out for the next BCAR -145 AMO to accept the item for subsequent maintenance processes. In block 13 of Form One (F-1) a clear statement of limitation should be endorsed.

Form One (F-1) shall not be used as certificate for release to service for maintenance carried out to an aircraft.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

1. Approving National Aviation Authority / Country		2. Authorised Release Certificate F – 1				3. Form Tracking Number	
4. BCAR – 145 Approved Maintenance Organisation Name and Address					5. Work order / Contract / Invoice Number.		
6. Item	7. Description	8. Part Number	9. Eligibility	10. Qty.	11. Serial / Batch Number	12 Status / Work	
13. Remarks							
14. Certifies that the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in condition for safe operation <input type="checkbox"/> Non-approved design data specified in block 13				19. <input type="checkbox"/> BCAR -145.50 Release to service Certifies that unless otherwise specified in block 13, the work identified in block 12 and described in block 13, was accomplished in accordance with BCAR -145 and in respect to that work the items are considered ready for release to service.			
15. Authorized Signature		16. Approval / Authorization Number		20. Authorized Signature		21. BCAR – 145 AC Number	
17. Name		18. Date (d/m/y)		22. Name		23. Date (d/m/y)	



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

**CERTIFICATE OF RELEASE TO SERVICE – F-1
USER/INSTALLER RESPONSABILITIES**

NOTE:

1. It is important to understand that existence of the document alone does not automatically constitute authority to install the part / component / assembly.
2. Where the users/installer Works in accordance with the National Regulations of an airworthiness Authorities different from the Airworthiness Authority specified in block (1) it is essential that the users / installer ensures that his/her Airworthiness Authority accepts parts/components/assemblies from the Airworthiness Authority specified in the block (1)
3. Statements 14 and 19 do not constitute installation certification. In all cases the aircraft maintenance record must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

**Appendix C
Structure and Content of the MOE**

(See BCAR 145.70)

The maintenance organization exposition (**MOE**) should contain the information, as applicable, specified in this Appendix. The information may be presented in any subject order so long as all applicable subjects are covered.

Small BCAR – 145 organizations may combine the various items to form a simple manual more relevant to their needs.

PART 0. BCAR - OPS GENERAL ORGANIZATION

This section reserved for those BCAR -145 AMO who are also approved BCAR - OPS operators.

PART 1. MANAGEMENT

- 1.1 Corporate commitment by the accountable manager.
- 1.2 Safety and quality policy.
- 1.3 Management personnel.
- 1.4 Duties and responsibilities of the management personnel
- 1.5 Management organisation chart
- 1.6 List of certifying staff.
- 1.7 Manpower resources.
- 1.8 General description of the facilities at each address intended to be approved.
- 1.9 Scope of work (Capability List) of the BCAR - 145 AMO.
- 1.10 Notification procedure to the BDCA regarding changes to the organization's activities/ approval/ location/ personnel.
- 1.11 Amendment or revision procedures to the MOE.
- 1.12 Inspection authority and access to documentation by the BDCA.
- 1.13 Programme to control the use of narcotic drugs, enervating substances, and alcohol.

PART 2. MAINTENANCE PROCEDURES

- 2.1 Supplier evaluation and subcontract control procedure.
- 2.2 Acceptance/inspection of aircraft components and material from outside contractors.
- 2.3 Storage, tagging and release of aircraft components and material to aircraft maintenance.
- 2.4 Acceptance of tools and equipment.
- 2.5 Calibration of tools and equipment.
- 2.6 Use of tooling and maintenance equipment by staff (including alternate tools).
- 2.7 Cleanliness standards of maintenance facilities and environmental monitoring.
- 2.8 Maintenance instructions of the BCAR -145 AMO and its relationship to aircraft/aircraft component manufacturers' instructions
- 2.9 Description of the procedures to receive, evaluates, amend, and distribute all the airworthiness information within the organization established in BCAR -145.45.
- 2.10 Repair procedure.
- 2.11 Aircraft maintenance programme compliance.
- 2.12 Airworthiness Directives procedure.
- 2.13 Optional modification procedure.
- 2.14 Maintenance documentation in use and completion of same for AD and SB.
- 2.15 Technical record control including description of the methods used to complete or retain such records.
- 2.16 Rectification of defects arising during base maintenance.
- 2.17 Procedure for the competence of authorised personnel.
- 2.18 Procedures for the release to service in accordance with BCAR 145.50.
- 2.19 Records of the BCAR - OPS operators.
- 2.20 Reporting of defects to the BDCA /Operator/Manufacturer in accordance with BCAR 145.60.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

- 2.21 Return of defective aircraft components to store.
- 2.22 Defective components to outside contractors.
- 2.23 Control of computer maintenance record systems.
- 2.24 Control of man-hour planning versus scheduled maintenance work.
- 2.25 Control of critical tasks (AMC 145.65 (b) (3)).
- 2.26 Reference to specific maintenance procedures such as -
 - Engine running procedures,
 - Aircraft pressure run procedures,
 - Aircraft towing procedures,
 - Aircraft taxiing procedures.
- 2.27 Procedures to detect and rectify maintenance errors.
- 2.28 Shift/task handover procedures.
- 2.29 Procedures for notification of maintenance data inaccuracies and ambiguities to the type certificate holder.
- 2.30 Procedures for the control of any specialised process.

PART L2. LINE MAINTENANCE PROCEDURES

- L2.1 Line maintenance control of aircrafts, components, tools, equipment etc.
- L2.2 Line maintenance procedures related to servicing/fuelling/de-icing etc.
- L2.3 Line maintenance control of defects and repetitive defects.
- L2.4 Line procedure for completion of technical log.
- L2.5 Line procedure for pooled parts and loan parts
- L2.6 Line procedure for return of defective parts removed from aircraft
- L2.7 Line procedure control of critical tasks per (AMC 145.65 (b) (3)).

PART 3. QUALITY SYSTEM PROCEDURES

- 3.1 Quality audit procedures of the BCAR -145 AMO.
- 3.2 Quality audits of the product.
- 3.3 Quality audits remedial action procedures.

- 3.4 Certifying staff qualification and training procedures.
- 3.5 Certifying staff, auditors and maintenance personnel records.
- 3.6 Quality audit personnel.
- 3.7 Qualifying inspectors / supervisors.
- 3.8 Qualifying mechanics.
- 3.9 Procedures to control non compliance situations with aircraft and aircraft component maintenance tasks (see BCAR – 145.50 (d)).
- 3.10 Procedures for the control of changes to the MOE in accordance with BCAR -145.70 (c).
- 3.11 Qualification procedure for specialised activities such as NDT welding, etc.
- 3.12 Control of manufacturers and other maintenance working teams.
- 3.13 Human factors training procedure.
- 3.14 Assessment of the proficiency of personnel.

PART 4. OPERATOR DOCUMENTS

- 4.1 Contracted BCAR - OPS operators.
- 4.2 Operator procedures and paperwork.
- 4.3 Operator record completion.

PART5. CONTRACTS AND FORMS

- 5.1 Sample of documents.
- 5.2 List of sub-contractors as per BCAR 145.75 (b).
- 5.3 List of maintenance locations as per BCAR 145.75 (d).
- 5.4 List of contracted BCAR -145 AMOs as per BCAR 145.70 (a) (18).

PART 6. BCAR - OPS MAINTENANCE PROCEDURES

This section is reserved for that BCAR -145 AMOs who is also BCAR -OPS operators.

The details of such procedures can be found in the BCAR - OPS.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

Annex 1 to BCAR – 145 Small BCAR -145 AMOs

a) **Applicability:** this Annex 1 to the BCAR -145 is only applicable for a BCAR -145 AMO that employs from 1 to 5 persons involved in maintenance tasks, including: mechanics, certifying staff, accountable manager, director of maintenance, and quality manager.

b) **Scope of approval rating:**

- 1) BCAR - 145 AMO based upon one person only: These BCAR -145 AMOs is limited on their scope of approval rating as established in the following Table 1:
- 2) A BCAR -145 AMO based upon 2 to 5 persons. This BCAR - 145 AMOs is limited on their scope of approval rating in accordance with their capabilities.

c) **BCAR -145 requirements for small BCAR -145 AMOs.**

- 1) General: The BCAR -145 requirements not described in this Annex 1 will be applied as stated in BCAR -145.
- 2) Requirements for BCAR -145 AMO based upon one person only:

i. **BCAR 145.30 Personnel requirements**

The minimum requirement is a person working full time who meets the BCAR -145 requirements for certifying staff and holds the position of “accountable manager position, maintenance engineer and is also certifying staff”. No other person may issue certificates of release to service and therefore if absent, no maintenance may be release during such absence.

Continuation training shall be specified the MOE and accepted by the BDCA. It shall be totally practical and it can be carried out in BCAR -145 organizations, training, manufacturing organizations and it shall be focus on changes, modifications to aircraft and/or components for what the organization is approved, seminars on regulations, or update courses in some of the aircraft the organization has the ratings for.

ii. **BCAR - 145.35**

The base for the approval is one person using a subcontracted quality audit system, the requirement of a separate authorisation record for certifying staff is unnecessary and the presentation and approval of the request of the interested person are considered sufficient. Personnel requirement to be accepted is stated in BCAR -145.30 Annex 1. An appropriate statement reflecting this situation shall be included in the MOE.

iii. **BCAR 145.47. It does not require compliance.**

iv. **BCAR 145.60 (b) It does not require compliance.**

v. **BCAR 145.65 (c).**

The quality follow-up task shall be subcontracted to a BCAR -145 AMO or to a natural/ legal independent person with technical knowledge and experience in quality systems, acceptable for the BDCA. This person can be contracted for a part time.

The contract between both parts shall be included in the MOE. The BCAR -145 or subcontracted person to carry out quality audits shall carry out at least 2 audits in a twelve-month period, one of them scheduled and the other one at random.

It is the responsibility of the BCAR -145 AMO to comply with the finding of the contracted quality monitoring organisation or the person.

Caution: is should be understood that if the contracted organization or the above mentioned person loses or give up its approval, then the organisation’s approval will be suspended.

3) **Requirements for a BCAR -145 AMO based upon 2 to 5 persons:**

i. **BCAR -145.30**

The minimum requirement is 2 persons working full time meeting the BCAR -145 requirements for certifying staff. One of these persons shall occupy the director of maintenance position (maintenance technician) and the other person shall occupy the quality manager position (quality auditor). Any of these persons can also occupy the accountable



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

manager position if he meets the corresponding requirements. but the "maintenance engineer" should be the certifying person to retain the independence of the "quality audit engineer" to carry out audits. Nothing prevents either engineer from undertaking maintenance tasks providing that the "maintenance engineer" issues the certificate of release to service.

The quality audit engineer should have similar qualification and status to "maintenace engineer" for reasons of credibility, unless he/she has proven track-record in aircraft quality assurance, in which case some reduction in the extent of maintenance qualifications may be permitted.

The quality monitoring funtion can be contracted in accordance with the terms established by the one person organizations.

The initial training requirements for the personnel described in paragraph 145.30 shall be established according to the requirements applicable to his position.

Continuation training shall be conducted by the quality manager, unless the organization chooses another BCAR -145 AMO or approved training institution.

The training topics shall consider aspects such as development in the type of products to be maintained, an analysis of the problematic areas of the organization and an update of the development of regulation BCAR -145.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION I

BCAR 145

Table 1 Small BCAR 145 (ONLY ONE MAN OPERATION)

Class	Rating	Limitation
A (aircraft)	A2 AEROPLANES	Piston engined line & base maintenance 5700 kg and below
A (aircraft)	A2 AEROPLANES	Turbine engined line 5 700 kg and below
A (aircraft)	A3 HELICOPTERS	Single engined line & base less than 3 175 kg
B (engines)	B2 (Piston)	Less than 450 HP
C (components) Other than complete engines or APUs	C1 to C19	As per capability list
D (specialised services)	D1 (NDT)	NDT method(s) to be specified
E (Propellers)	E1 E2	According to the capability list
The BCAR -145 AMO may be further limited by the BDCA in the scope of approval dependent upon the capability of the particular BCAR -145 AMO.		



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

**SECTION 2
AMC / IEM**



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

SECTION 2

Acceptable Means of Compliance (AMC) and Interpretative/ Explanatory Material (IEM)

1. GENERAL

- 1.1. This section contains the acceptable means of compliance (AMC) and interpretative/explanatory material that has been agreed for inclusion in BCAR -145.
- 1.2. If a specific paragraph does not have AMC or IEM, it is considered that no supplementary material is required.

2. PRESENTATION

- 2.1. The numbers preceded by the acronyms AMC and IEM indicate the paragraph number of the BCAR -145 it refers to.
- 2.2. The acronyms are defined as follows:
 - a) *Acceptable Means of Compliance (AMC)* illustrates a means, or several alternative means, but not necessarily the only possible means to comply with a specific paragraph of the BCAR -145.
 - b) *Interpretative/Explanatory Material (IEM)* helps to illustrate the meaning of a regulation.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

IEM 145.5 Definitions

(See BCAR-145.5)

1. With regard to the “Accountable Manager” definition, it is normally intended to mean the chief executive officer, who by virtue of position has overall (including in particular financial) responsibility for running the organisation. The Accountable Manager may be the Accountable Manager for more than one organisation and is not required to be necessarily knowledgeable on technical matters as the MOE defines the maintenance standards. When the accountable manager is not the chief executive officer, the BDCA Authorities will need to be assured that such an Accountable Manager has direct access to chief executive officer and has a sufficiency of ‘maintenance funding’ allocation.
2. With regard to the “line/base maintenance of aircraft” definition, to be subject of maintenance works due to the large range of aircrafts going from small ones to big ones for commercial transport, as well as to the great differences in the maintenance programmes of different manufacturers, it is not advisable to classify line or base maintenance by check classifications based on letters or flying hours (C-check, D-check, 100 hours check , etc) on the contrary, it is advisable to classify them by type of work to be carried out.
3. “Line maintenance” should be understood as any maintenance that is carried out before flight to ensure that the aircraft is fit for the intended flight. Line maintenance may include:
 - 3.1. Trouble shooting
 - 3.2. Defect rectification
 - 3.3. Component replacement using external test equipment if required. Component replacement may include components such as engines and propellers.
 - 3.4. Scheduled maintenance and/or checks including visual inspections, preflights that will detect obvious unsatisfactory conditions/discrepancies but do not require extensive in depth inspection. It may also include internal structure, systems and power plant items which are visible through quick opening access panels/doors.
 - 3.5. Minor repairs and modifications which do not require extensive disassembly and can be accomplished by simple means.
 - 3.6. For temporary or occasional cases (AD's, SB's) the Quality Manager may accept base maintenance tasks to be performed by a line maintenance organisation provided all requirements are fulfilled to carry out the tasks appropriately and safely.
4. Maintenance tasks falling outside these criteria are considered to be Base Maintenance.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

Note: Aircraft maintained in accordance with "progressive" type programmes should be individually assessed in relation to this paragraph. The decision to allow some "progressive" checks to be carried out should be determined by the assessment that all tasks within the particular check can be carried out safely to the required standards at the designated line maintenance station.

IEM 145.20 Content of the Approval Certificate and its Ratings

(See BCAR 145.20)

Appendix A contains a table listing all classes and ratings possible under a BCAR - 145 approvals.

AMC 145.25(b) Facility Requirements

(See BCAR 145.25 (b))

1. For base maintenance of aircraft, this means that aircraft hangars should be both available and large enough to accommodate aircraft on planned base maintenance. Where the hangar is not owned by the BCAR -145 AMO it may be necessary to establish proof of tenancy. In addition, sufficiency of hangar space to carry out planned base maintenance will need to be demonstrated by the preparation of a projected aircraft hangar visit plan. For aircraft component maintenance, this means that aircraft component workshops should be large enough to accommodate the components on planned maintenance.
2. For line maintenance of aircraft, hangars are not essential but it is recommended that access to hangar accommodation be demonstrated for usage during inclement weather for minor scheduled work.

AMC 145.25(c) Facility Requirements

(See BCAR 145.25 (c))

1. Protection from the weather elements relates to the normal prevailing local weather elements that are expected throughout any twelve month period. Aircraft hangar and aircraft component workshop structures should be to a standard that prevents the ingress of rain, wind, and dust etc. Aircraft hangar and aircraft component workshop floors should be sealed to minimise dust generation.

AMC 145.25 (d)(2) Facility requirements

(See BCAR 145.25 (d)(2))

1. Office accommodation in this case means office accommodation such that the incumbents, whether they are management, planning, technical records, quality or certifying staff, can carry out their designated tasks in a manner that contributes to good



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

aircraft maintenance standards. In addition, aircraft maintenance staff should be provided with an area where they may study maintenance instructions and complete maintenance records in a proper manner.

2. It is acceptable to combine any or all of the above requirements into one office subject to the staff having sufficient room to carry out assigned tasks.

AMC 145.25 (d) Facility Requirements.

An Approved Maintenance Organisation shall ensure that its housing and facilities, for the organisation under BCAR 145.25, meet the following minimum standards:

- a) for ongoing maintenance of aircraft, aircraft hangars shall be available and large enough to accommodate aircraft during maintenance activities;
- b) where the hangar is not owned by the Approved Maintenance Organisation, the Approved Maintenance Organisation should—
 - i. establish proof of authorization to use hangar;
 - ii. demonstrate sufficiency of hangar space to carry out planned base maintenance by preparing a projected aircraft hangar visit plan relative to the maintenance programme;
 - iii. update the aircraft hangar visit plan on a regular basis;
 - iv. ensure, for aircraft component maintenance, aircraft component workshops are large enough to accommodate the components on planned maintenance;
 - v. ensure aircraft hangar and aircraft component workshop structures prevent the ingress of rain, hail, ice, snow, wind and dust, etc.;
 - vi. ensure workshop floors are sealed to minimize dust generation; and
 - vii. demonstrate access to hangar accommodation for usage during inclement weather for minor scheduled work and/or lengthy defect rectification;
- c) aircraft maintenance staff shall be provided with an area where they may study maintenance instructions and complete maintenance records in a proper manner;
- d) hangars used to house aircraft together with office accommodation shall be such as to ensure a clean, effective and comfortable working environment to include the following:



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- i. temperatures should be maintained at a comfortable level;
 - ii. dust and any other airborne contamination should be kept to a minimum and not permitted to reach a level in the work task area where visible aircraft/component surface contamination is evident;
 - iii. lighting should be such as to ensure each inspection and maintenance task can be carried out; and
 - iv. noise levels should not be permitted to rise to the point of distracting personnel from carrying out inspection tasks. Where it is impractical to control the noise source, such personnel should be provided with the necessary personal equipment to stop excessive noise causing distraction during inspection tasks;
 - v. where a particular maintenance task requires the application of specific environmental conditions different from the foregoing, then such conditions shall be observed. (Specific conditions are identified in the approved maintenance instructions.)
- e) where the working environment for line maintenance deteriorates to an unacceptable level with respect to temperature, moisture, hail, ice, snow, wind, light, dust or other airborne contamination; the particular maintenance or inspection tasks shall be suspended until satisfactory conditions are re-established
- f) for both base and line maintenance where dust or other airborne contamination results in visible surface contamination, all susceptible systems shall be sealed until acceptable conditions are re-established;
- g) storage facilities for serviceable aircraft components shall be clean, well ventilated and maintained at an even dry temperature to minimize the effects of condensation;
- h) standards and recommendations of the Manufacturer shall be followed for specific aircraft components;
- i) storage racks shall provide sufficient support for large aircraft components such that the component is not distorted; and
- j) all aircraft components, wherever practicable, shall remain packaged in protective material to minimize damage and corrosion during storage.

AMC 145.30(a) Management personnel requirements

(See BCAR 145.30(a))

1. To ensure that the BCAR -145 AMO meets the requirements of such BCARs:



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- 1.1 The person or persons nominated should represent the management structure of the organisation and be responsible for all functions specified in BCAR -145. In the case of bigger organisations, these functions may be subdivided or combined in different ways.
- 1.2 The BCAR -145 AMO should have an Accountable Manager, a Director of Maintenance, and a Quality Manager; the last two should report to the Accountable Manager. Depending on the size of the BCAR 145 AMO, under the Director of Maintenance, the Base Maintenance Manager, Line Maintenance Manager, and Workshop Manager can be located; those managers shall report to the Accountable Manager. The BCAR -145 AMO shall establish also a replacement or representation programme, in the case of lengthy absence of said manager(s).
- 1.3 The Accountable Manager is responsible for ensuring that all necessary resources are available to accomplish maintenance in accordance with BCAR - 145.65 (b).
- 1.4 The Director of Maintenance (or equivalent position) is responsible for all the technical areas of the BCAR -145 AMO. He is also responsible for all corrective actions resulting from the quality compliance monitoring in accordance with the BCAR -145.65 (c).
- 1.5 The Base Maintenance Manager is responsible for ensuring that all maintenance required to be carried out in the hangar, plus any defect rectification carried out during base maintenance, is carried out to the design and quality standards specified in BCAR -145.65 (b). The Base Maintenance Manager is also responsible for all corrective actions resulting from the quality compliance monitoring in his area in accordance with BCAR -145.65 (c).
- 1.6. The line maintenance manager is responsible for ensuring that all maintenance required to be carried out including line defect rectification is carried out to the quality standards specified in BCAR -145.65 (b). The line maintenance manager is also responsible for any corrective action resulting from the quality compliance monitoring in his area in accordance with BCAR -145.65(c).
- 1.7. The workshop manager is responsible for ensuring that all work on aircraft components is carried out to the quality standards specified in BCAR -145.65 (b). The workshop manager is also responsible for any corrective action resulting from the quality system implementation in his area in accordance with BCAR -145.65(c).
- 1.8. The quality manager is responsible for the quality system specified in BCAR 145.65 (c), as well as quality system feedback.
- 1.9. The title “Manager” specified under the previous paragraphs 2 to 8 may be changed for others the organisation considers convenient, but the titles and the persons chosen to carry out these functions should be reported to the BDCA. For all these, the BDCA



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

requires the managers mentioned above to be identified and their acceptance requests together with their professional and academic history to be submitted.

2.

The maintenance organisation will have an organisational structure depending on the amount of its activities.

NOTE: Certifying staff may report to any of the managers specified depending upon which type of control the approved maintenance organisation uses (for example - licensed mechanics/independent inspection/dual function supervisors etc.) so long as the quality compliance monitoring staff specified in BCAR 145.65 (c) (1).



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

Examples of possible BCAR -145 AMOs

This AMC shows two possible organisational structures. The main objective is to prove that the quality system shall depend directly on the accountable manager and never on any of the production areas. Every BCAR -145 AMO shall have the organisational structure more appropriate for its needs, in accordance with the previous premise.




**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

A. TYPICAL LARGE ORGANISATION






**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

B. TYPICAL SMALL ORGANISATION



NOTE: Those are two examples of “typical” organisations.

Every BCAR -145 AMO may choose the organisational structure more convenient only if the Quality System Manager reports directly to the Accountable Manager and he is not operationally dependent from the production area.

AMC 145.30 (e) Management Personnel Requirements

(See BCAR -145.30 (e))

The responsibility assigned to the quality manager regarding the quality system includes requesting remedial action as necessary by the BCAR 145.30 (e), Accountable Manager and Director of Maintenance as appropriate.

AMC 145.31 (a) Maintenance personnel

(See BCAR -145.31(a))

1. The referenced procedure requires among others that planners, mechanics, inspectors, supervisors, specialised services staff, and certifying staff are assessed for competence by 'on the job' evaluation and/or by examination relevant to their particular job role within the organisation before unsupervised work is permitted.
2. To assist in the assessment of competence, job descriptions are recommended for each job role in the organization. Basically, the assessment should establish that:



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- 2.1 Planners are able to interpret maintenance requirements into maintenance tasks, and have an appreciation that they have no authority to deviate from the maintenance data
- 2.2 Mechanics and inspectors are able to carry out maintenance tasks to any standard specified in the maintenance data and will notify supervisors of mistakes requiring rectification to re-establish required maintenance standards.
- 2.3 Specialised service staff is able to carry out specialised maintenance tasks to the standard specified in the maintenance data and will both inform and await instructions from their supervisor in any case where it is not possible to complete the specialised maintenance in accordance with the maintenance data.
- 2.4 Supervisors are able to ensure that all required maintenance tasks are carried out and where not completed or where it is evident that a particular maintenance task cannot be carried out to the maintenance data, and then such problems will be reported to a superior for appropriate action. In addition, for those supervisors who also carry out maintenance tasks that they understand such tasks should not be undertaken when incompatible with their management responsibilities.
- 2.5 Certifying staff are able to determine when the aircraft or aircraft component is ready to release to service and when it should not be released to service.
3. All personnel specified above shall acquire knowledge of organisation procedures relevant to their particular role.
4. Quality audit staff is able to monitor compliance with BCAR -145 identifying non compliance in an effective and timely manner in order that the BCAR -145 AMO may remain in compliance with BCAR -145.
5. In respect to the understanding of the application of human factors and human performance issues, maintenance, management, and quality audit personnel, as established in BCAR 145.31 (b), should be assessed for the need to receive Initial Human Factors training, but in any case all maintenance, management, and quality audit personnel should receive Human Factors continuation training. This should concern to a minimum:
 - 5.1. Post holders, Managers, Supervisors.
 - 5.2 Certifying staff, technicians and mechanics
 - 5.3. Technical support personnel in departments such as: maintenance, planning, engineering, technical records.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- 5.4. Quality control/assurance staff
- 5.5. Specialised services staff
- 5.6. Human factors staff/ human factors trainers
- 5.7. Store department staff, purchasing department staff
- 5.8. Ground equipment operators
- 5.9. Contract staff in the above categories
6. Initial Human Factors training should normally cover all the topics of the Training Syllabus in paragraph 10, either as a dedicated course or else integrated within other training. The syllabus may be adjusted to reflect the particular nature of the BCAR -145 AMO. It can also be adjusted to meet the particular nature of work for each function within the organisation. For example:
 - 6.1 Small organisations not working in shifts may cover in less depth subjects related to teamwork and communication.
 - 6.2 Planners may cover in more depth the scheduling and planning objectives of the syllabus and in less depth the objective of developing skills for shift work.
 - 6.3 Depending on the result of the evaluation in paragraph 5, initial training should be provided to personnel within 6 months of joining the BCAR -145 AMO, but temporary staff may need to be trained shortly after joining the organisation to cope with the duration of employment.
 - 6.4 Personnel being recruited from another BCAR -145 AMO and temporary staff should be assessed for the need to receive any additional Human Factors training to meet the new BCAR -145 standards.
7. The purpose of Human Factors continuation training is primarily to ensure that staff remains current in terms of human factors and also to collect feedback on Human Factors issues. Consideration should be given to the possibility that such training has the involvement of the quality department. There should be a procedure to ensure that feedback is formally passed from the trainers to the quality department to initiate action where necessary.
8. Human Factors continuation training should be of sufficient duration in each two year period in relation to relevant quality audit findings and other internal/external sources of information available to the organisation on human errors in maintenance.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

9. Human Factors training may be conducted by the BCAR -145 AMO or independent trainers or any training organisations acceptable to the BDCA.
10. The Human Factors training procedure should be specified in the MOE section 3.13.
11. Training content for the Human Factors initial course: the training content includes the topics and sub-topics for human factors training. The BCAR -145 AMO can combine, divide, or change the order of any topic of the programme to adapt it to its needs, only if at the end of the programme all the aspects have been covered at an appropriate level for the BCAR -145 AMO and its personnel. Some of the topics should be covered by other types of training (for example, safety and hygiene in the workplace, supervision and management assessments, etc); in this case, it is not necessary to repeat the courses. Examples and illustrations will be used whenever possible, especially when talking about incident and accident reports.
 - 11.1 The contents should refer to the existent national laws when the content of the training is related to them.
 - 11.2 The contents should refer to guidance material or circulars when it corresponds, for example, ICAO human factors training manual.
 - 11.3 The topics can be related to maintenance engineering, whenever possible, it is advisable to avoid unnecessary information.
 - (a) General / introduction to Human Factors
 - (i) The need to address human factors
 - (ii) Statistics
 - (iii) Incidents
 - (b) Safety culture / factors of the organisation
 - (c) Human error
 - (i) Models of errors and theories
 - (ii) Types of errors in the maintenance tasks
 - (iii) Violations
 - (iv) Implications of errors
 - (v) Avoiding and managing errors
 - (vi) Human reliability
 - (d) Human performance & limitations
 - (i) Vision



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- (ii) Hearing
- (iii) Information processing
- (iv) Attention and perception
- (v) Situational awareness
- (vi) Memory
- (vii) Claustrophobia and physical access
- (viii) Motivation
- (ix) Fitness & Health
- (x) Stress
- (xi) Workload management
- (xii) Fatigue
- (xiii) Alcohol, medication, drugs
- (xiv) Physical work
- (xv) Repetitive tasks / complacency

(e) Environment

- (i) Peer pressure
- (ii) Stressors
- (iii) Time pressure and deadlines
- (iv) Workload
- (v) Shift work
- (vi) Noise and fumes
- (vii) Illumination
- (viii) Climate and temperature
- (ix) Motion and vibration
- (x) Complex systems
- (xi) Hazards in workplace
- (xii) Lack of manpower
- (xiii) Distractions and interruptions

(f) Procedures, information, tools and practices

- (i) Visual inspections
- (ii) Work logging and recording
- (iii) Procedure- practice/mismatch/norms
- (iv) Technical documentation – access and quality

(g) Communication

- (i) Shift/ task handover
- (ii) Dissemination of information
- (iii) Cultural differences



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- (h) Teamwork
 - (i) Responsibility
 - (ii) Management, supervision, and leadership
 - (iii) Decision making
- (i) Professionalism and integrity
 - (i) Keeping up to date; currency
 - (ii) Error provoking behavior
 - (iii) Assertiveness
- (j) Organisation of the HF programme(Human Factors)
 - (i) Reporting errors
 - (ii) Disciplinary policy
 - (iii) Error investigation
 - (iv) Actions to address problems
 - (v) Feedback

AMC 145.32 (a) Specialised Services Personnel (NDT)

(See BCAR 145.32 (a))

1. Continued airworthiness non-destructive testing means such testing specified by the type certificate holder /aircraft or component in his manuals to determine the continued fitness of the product to operate safely.
2. Appropriately qualified staff means the levels defined in regulations (4179:2000) EN 4179 from Europe or the rules NAS 410, MIL-STD and/or ASNT from the United States, or until September 1st, 2005 in accordance with the established in the national regulation in that subject.
3. Non-destructive test means any one or more of the following; Dye penetrant, magnetic particle, eddy current, ultrasonic and radiographic methods including X ray and gamma ray.
4. In addition, it should be noted that new methods are and will be developed for this type of activities that have not been considered by any standard. Until standards regarding these new methods are not official, the BDCA shall assure that the personnel working with those methods have been trained and qualified according to the recommendations of the manufacturers/suppliers of such equipment.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

5. Any BCAR -145 AMO that carries out continued airworthiness non destructive testing should establish internal procedures to qualify the personnel carrying out such tasks and these procedures should be acceptable by the BDCA.
6. Boroscoping and other techniques such as delamination coin tapping are non-destructive inspections rather than non-destructive testing. The BDCA shall ensure in all cases that the personnel who carry out and interpret such inspections are properly trained for their competence with the process. For the BCAR -145, these tasks are not considered “specialized tasks” and therefore, they are not listed in Appendix A under class rating D1.
7. The referenced standards, methods, training and procedures to qualify the NDT personnel should be specified in the MOE, section 3.11.
8. Specialised services include any specialised activity as, but not limited to, non-destructive testing (NDT), requiring special staff training or qualification. The BCAR -145.31 (a) establishes the qualifications necessary for the personnel. In addition, it is necessary to establish the control procedures for all the specialized tasks in the MOE, section 2.28.

IEM 145.35 Certifying Staff

(See BCAR 145.35)

The maintenance certifying staff stated in these rules is the personnel participating during the carryout of maintenance or the personnel working as supervisor or inspector of a certain task. In this sense, it should be understood that they are an important element for the AMO quality system due to the fact that they participate in a certain process. The organisations shall determine the better way to use these resources to ensure that the final maintenance certification is made precise knowledge of the compliance with the corresponding procedures.

AMC 145.35 (b)(2) Certifying Staff

(See BCAR 145.35 (b)(2))

“Adequate understanding of the relevant aircraft and/or aircraft component(s) to be maintained together with the associated organisation procedures” means that the person has received training and passed an examination or has relevant maintenance experience and passed an examination on the product type and associated organisation procedures such that the person understands how the product functions, what are the more common defects with associated consequences.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

AMC 145.35 (b)(3) Certifying Staff

1. Continuation training is a two way process to ensure that certifying staff remain current in terms of procedures, human factors and technical knowledge and that the BCAR -145 AMO receives feedback on the adequacy of its procedures. Due to the interactive nature of this training, consideration should be given to the possibility that such training has the involvement of the quality department to ensure that feedback is actioned.
2. Continuation training should cover changes in relevant requirements such as BCAR -145, changes in organisation procedures and the modification standard of the products being maintained plus human factor issues identified as sources of errors. It should also address instances where staff failed to follow procedures and the reasons why particular procedures are not always followed.
3. Continuation training should be of sufficient duration in each 2 year period and it may be split into a number of separate elements. The time of the courses will depend on the subjects covered in terms of technology as well as the findings found by the quality system. The content of the courses should be constantly analysed and eventually redesigned according to the needs of the organisation.
4. The method of training is intended to be a flexible process and it will depend on the possibilities and size of the BCAR -145 AMO. The courses can be internal or contracted to external approved training organisations. The elements, general content, and length of such training should be specified in the MOE, approved by the BDCA.
5. The continuation training programme should include all the certifying staff and when the training will take place, the elements of such training and an indication that it was carried out reasonably on time as planned. This information should be transferred to the certifying staff personal records.
6. The referenced procedure should be specified in the MOE, section 3.4
7. The training programme shall include human factors training according to the AMC 145.31 (a) (11).

AMC 145.35 (c) Certifying Staff

(See BCAR 145.35 (c))

The BCAR 145 AMO certification authorisation should be in a style that makes its scope clear to certifying staff and any person authorised by the BDCA that may require examining the authorisation. Where codes are used to define scope, a cross reference should be established in the authorisation or a cross reference should be available.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

AMC145.35 (d) Certifying Staff

(See BCAR 145.35 (d))

The requirement established for certifying staff, to carry out maintenance to components, included in this section recognises the possibility that even if there is not a specific license to release to service components, experience or trainings necessary to compensate one aspect with the other. The purpose of this AMC is to provide the acceptance criteria to be considered in cases where the acceptability established by BCAR 145.35 (d) is considered. It is also important to recognise that the maintenance referred in this paragraph does not include maintenance contrary to the requirements stated in this regulation, including what is related to the use of technical data to carry out maintenance. It is also important to emphasize the fact that the maintenance organisation is responsible for assigning workshop work and the person responsible for the carry out of maintenance or inspection.

Acceptable training criteria:

1. Formal specialised training provided by the manufacturer of the product or by a certified school is acceptable according to the regulatory requirements of the State where it is located or provided by an Approved Maintenance Organisation or credited school or university, or
2. On the other hand, courses subject to consideration of the BDCA and which content has been considered acceptable will be acceptable. In this case, the courses will be considered acceptable if they consider at least the following criteria:
 - 2.1 A complete specialised training syllabus to be given has been submitted.
 - 2.2 Detail of the amount of hours to be spend in the classroom and the amount of hours to be spent in the workshop or laboratory.
 - 2.3 Detail of the evaluation system to be used and the schedule for mid-terms and final test.
 - 2.4 A method that shows that the student has finished satisfactorily the specialised training including the number of hours spent and the final grade.
3. Continuing training shall be subject to consideration to be evaluated only once, unless important changes are made after.
4. Training shall be designed in such way that the most of the training time is spent in the workshop or laboratory.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

5. Training shall be given according to the syllabus and cover all basic knowledge required for the specific task to be developed, including procedures, practices, inspection methods, materials, tools, machinery, and equipment and it shall not be confused with on the job training.

AMC 145.35 (g) Maintenance Certifying Staff

(See BCAR 145.35 (g))

1. As stated in BCAR 145.35 (g), with one exception, all prospective certifying staffs are required to be assessed for competence, qualification, and capability related to intended certifying duties. There are a number of ways in which such assessment may be carried out but the following points need to be considered to establish an assessment procedure that fits the particular BCAR -145 AMO.
2. Competence and capability can be assessed during the working hours of the person under the supervision of either another certifying person or a quality auditor for sufficient time to arrive at a conclusion. Sufficient time could be as little as a few weeks if the person is fully exposed to relevant work. It is not practical to assess against the complete spectrum of intended duties and this should not be done. When the person has been recruited from another BCAR -145 AMO and was a certifying person in that organisation then, it is reasonable to accept a written confirmation from the person responsible for running the quality system of this BCAR -145 AMO about the qualification of that person.
3. Qualification assessment means collecting copies of all documents that attest to qualification, such as the licence and/or any authorisation held. This should be followed by a confirmation check with the organisation(s) that issued such document(s) and finally a comparison check for differences between the product type ratings on the qualification documents and the product type maintained by the BCAR -145 AMO. This latter point may reveal a need for product type differences training.
4. The referenced procedure should be specified in the MOE, section 3.4

AMC 145.35 (j) Certifying Staff

(See BCAR 145.35 (j))

1. The certifying staff personnel record should have at least the following information:
 - 1.1 Name and surname
 - 1.2 Date of birth
 - 1.3 Basic training



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- 1.4 Type training
- 1.5 Continuation training
- 1.6 Experience
- 1.7 Qualifications relevant to the approval
- 1.8 Scope of the authorisation
- 1.9 Date of the first issue of the authorisation
- 1.10 If appropriate, expiration date of the authorisation
- 1.11 Identification number of the authorisation
2. The record may be kept in any format but should be controlled by the quality department. This does not mean that the quality department should run the record system
3. Persons authorised to access the system should be maintained at a minimum to ensure that records cannot be altered in an unauthorised manner or that such confidential records become accessible to unauthorised persons.
4. The certifying staff should be given reasonable access on request to his/her own record.
5. The BDCA should have unlimited access to the record system during the approval/modification/reissue process of the BCAR -145 AMO, during the routine inspections, or during a possible investigation of an accident or incident.
6. In the case a certifying person ceases employment with the BCAR - 145 AMO or his/her authorisation withdraws, the BCAR -145 AMO should keep the record for at least two years. In addition, the certifying staff should be furnished on request with a copy of their record on leaving the organisation.
7. In the case of losing the certifying authorization, its holder should communicate the situation immediately to the BCAR -145 AMO.

AMC 145.40(a) Equipment, Tools, and Material

(See BCAR 145.40 (a))

1. Once the applicant for approval has determined the intended scope of approval for consideration by the BDCA, it will be necessary to show that all tools and equipment as specified in the maintenance data can be made available when needed. All such tools and



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

equipment that require to be controlled in terms of servicing or calibration should be clearly identified and listed in a control register including any personal tools and equipment that the BCAR -145 AMO agrees can be used. For every element in the control register, a service and calibration date control should be established.

2. "The necessary material to perform the scope of work" means readily available raw material and aircraft components in accordance with the manufacturer's recommendation unless the BCAR -145 AMO has an established spares provisioning procedure.

AMC 145.40 (b) Equipment, tools, and, material

(See BCAR 145.40 (b))

1. The control of these tools and equipment requires that the BCAR -145 AMO has a procedure to inspect/service and, where appropriate, calibrate such items on a regular basis and indicate to users that the item is within any inspection or service or calibration time-limit. A clear system of labelling all tooling, equipment and test equipment is therefore necessary giving information on when the next inspection or service or calibration is due and if the item is unserviceable for any other reason where it may not be obvious. A register should be maintained for all precision tooling and equipment together with a record of calibrations and standards used.
2. Inspection, service or calibration on a regular basis should be in accordance with the equipment manufacturer's instructions except where the BCAR – 145 can show by results that a different time period is appropriate in a particular case. This regular frequency should be included in the MOE, section 2.5 of the BCAR -145 AMO and they should be accepted by the BDCA.

The new equipment and tools should be proved before being used, taking into account its appropriate calibration status by means of the corresponding calibration certificate.

Note: In this case, equipment means the equipment, tools, instruments, and elements considered independent or being part of the tools or equipment that require calibration.

AMC 145.42(c) Acceptance of components

1. The agreement by the BDCA for the fabrication of parts by the approved maintenance organisation should be formalised through the approval of a detailed procedure in the Maintenance Organisation Exposition. This AMC contains principles and conditions to be taken into account for the preparation of an acceptable procedure.
2. Fabrication, inspection assembly and test should be clearly within the technical and procedural capability of the organisation;



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

3. All necessary data to fabricate the part should be approved either by the competent authority or the type certificate (TC) holder or supplemental type certificate (STC) holder;
4. Items fabricated by an organisation approved under BCAR-145 may only be used by that organisation in the course of overhaul, maintenance, modifications, or repair of aircraft or components undergoing work within its own facility. The permission to fabricate does not constitute approval for manufacture, or to supply externally and the parts do not qualify for certification on Form One. This prohibition also applies to the bulk transfer of surplus inventory, in that locally fabricated parts are physically segregated and excluded from any delivery certification.
5. Fabrication of parts, modification kits etc for onward supply and/or sale may not be conducted by an organisation approved under BCAR-145.
6. The data specified in paragraph 3 may include repair procedures involving the fabrication of parts. Where the data on such parts is sufficient to facilitate fabrication, the parts may be fabricated by an organisation approved under BCAR-145. Care should be taken to ensure that the data include details of part numbering, dimensions, materials, processes, and any special manufacturing techniques, special raw material specification or/and incoming inspection requirement and that the approved organisation has the necessary capability. That capability should be defined by way of exposition content. Where special processes or inspection procedures are defined in the approved data which are not available at the organisation the organisation can not fabricate the part unless the TC/STC-holder gives an approved alternative.
7. Examples of fabrication under the scope of a BCAR-145 approval can include but are not limited to the following:
 - (a) Fabrication of bushes, sleeves and shims
 - (b) Fabrication of secondary structural elements and skin panels.
 - (c) Fabrication of control cables.
 - (d) Fabrication of flexible and rigid pipes.
 - (e) Fabrication of electrical cable looms and assemblies.
 - (f) Formed or machined sheet metal panels for repairs.

All the above fabricated parts, should be in accordance with data provided in overhaul or repair manuals, modification schemes and service bulletins, drawings or otherwise approved by the competent authority.

Note: It is not acceptable to fabricate any item to pattern unless an engineering drawing of the item is produced which includes any necessary fabrication processes and which is acceptable to the competent authority.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

8. Where a TC-holder or an approved production organisation is prepared to make available complete data which is not referred to in aircraft manuals or service bulletins but provides manufacturing drawings for items specified in parts lists, the fabrication of these items is not considered to be within the scope of an approval unless agreed otherwise by the competent authority in accordance with a procedure specified in the exposition.

9. Inspection and Identification

Any locally fabricated part should be subjected to an inspection stage before, separately, and preferably independently from, any inspection of its installation. The inspection should establish full compliance with the relevant manufacturing data, and the part should be unambiguously identified as fit for use by stating conformity to the approved data. Adequate records should be maintained of all such fabrication processes including, heat treatment and the final inspections. All parts, except those having not enough space, should carry a part number which clearly relates it to the manufacturing/inspection data. Additional to the partnumber the organisation's identity should be marked on the part for traceability purposes.

AMC 145.42(d) Acceptance of components

1. The following types of components should typically be classified as unsalvageable:
 - (a) Components with non-repairable defects, whether visible or not to the naked eye;
 - (b) Components that do not meet design specifications, and cannot be brought into conformity with such specifications;
 - (c) Components subjected to unacceptable modification or rework that is irreversible;
 - (d) Certified life-limited parts that have reached or exceeded their certified life limits, or have missing or incomplete records;
 - (e) Components that cannot be returned to airworthy condition due to exposure to extreme forces, heat or adverse environment;
 - (f) Components for which conformity with an applicable airworthiness directive cannot be accomplished;
 - (g) Components for which maintenance records and/or traceability to the manufacturer can not be retrieved.
2. It is common practice for possessors of aircraft components to dispose of unsalvageable components by selling, discarding, or transferring such items. In some instances, these items have reappeared for sale and in the active parts inventories of the aviation



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

community. Misrepresentation of the status of components and the practice of making such items appear serviceable have resulted in the use of unsalvageable nonconforming Components. Therefore Organisations disposing of unsalvageable aircraft components should consider the possibility of such components later being misrepresented and sold as serviceable components. Caution should be exercised to ensure that unsalvageable components are disposed of in a manner that does not allow them to be returned to service.

AMC 145.45 (a) Maintenance Data

(See BCAR 145.45 (a))

1. Applicable Data: means the technical data related to any specified aircraft, element or process used to carry out a maintenance task in accordance with the limitations and ratings granted to the maintenance organisation.
2. Approved Data: Technical data that support and describe a repair or major alteration. This data needs to be approved by the State that issued the type certificate. Some sources to obtain the approved data are the following:

Type certificate data sheets. (TCDS)

Supplemental Type Certificate (STC).

Component Manuals previously approved by the manufacturer.

Airworthiness Directives (ADs).

Service bulletins when they have been approved by the State that approved the type certificate.

Data describing a component that has been approved under a TSO or JTSO

Data describing a component that has been approved under a PMA or the equivalent approval under the European standard.

Structural Repair Manuals when approved by the manufacturer.

AMC 145.45 (b) Maintenance Data

(See BCAR 145.45 (b))

1. Every BCAR -145 AMO should hold and use the following minimum maintenance data relevant to the organisations's approval class rating: updated version of all BCARs related to maintenance including their AMCs and IEMs (example BCAR -145, OPS, LPTA related



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

to mechanics, etc), all the national regulations related to maintenance, procedures, or airworthiness directives applying to the aircraft and/or aircraft components used in the organisation, not only issued by the BDCA but also by the authority of the State that issued the type certificate or the authority of the State of registration depending on every case.

2. In addition to sub-previous paragraph 1, a BCAR -145 AMO with class rating in category A - aircraft should hold and use the following maintenance data where published. The appropriate sections of the operator's aircraft maintenance programme, aircraft maintenance manual, repair manual, supplementary structural inspection document, corrosion control document, service bulletins, service letters, service instructions, modification leaflets, NDT manual, parts catalogue, or any other maintenance document that the holder of the type certificate or supplementary type certificate has published as maintenance data, except in the cases in which the operator/owner of the aircraft provides the BCAR -145 AMO with all the necessary documents, in this case, it is not necessary that the BCAR -145 AMO has the data provided.
3. In addition to sub-paragraph 1 of this section, a BCAR -145 AMO with a class rating Category B-Engines / APUs, should hold and use the following maintenance data where published. The appropriate sections of the engine/APU maintenance and repair manual, service bulletins, service letters, modification leaflets, non-destructive inspection (NDI) manual, parts catalogue and any other maintenance document that the holder of the type certificate has declared as maintenance data, except in the cases in which the operator/owner of the aircraft provides the BCAR -145 AMO with all the necessary documents, in this case, it is not necessary that the BCAR -145 AMO has the data provided.
4. In addition to sub-paragraph 1 of this section, a BCAR -145 AMO with a class rating category C- Components other than engines / complete APUs should hold and use the following maintenance data where published. The appropriate sections of the vendor maintenance and repair manual, service bulletins and service letters plus any document issued by the type certificate holder as maintenance data, except in the cases in which the operator/owner of the aircraft provides the BCAR -145 AMO with all the necessary documents, in this case, it is not necessary that the BCAR -145 AMO has the data provided.
5. "Appropriate sections" of paragraphs 2 and 4 additional maintenance data means in relation to the maintenance work scope at the BCAR -145 AMO. For example, a BCAR -145 AMO carrying out base maintenance should have almost complete set(s) of the maintenance data whereas an organisation carrying out line maintenance may need only the maintenance manual and the parts catalogue.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

6. A BCAR -145 AMO only approved in class rating category D – Specialised services, should hold and use following maintenance data where published, regarding every specialised service included in the rating: the BCAR -145, its AMCs and IEMs and the specifications of the processes of the specialised services , except in the cases in which the operator/owner of the aircraft provides the BCAR -145 AMO with all the necessary documents, in this case, it is not necessary that the BCAR -145 AMO has the data provided.

AMC 145.45(c) Maintenance Data

(See BCAR 145.45 (c))

1. The referenced procedure should ensure that when maintenance personnel discover inaccurate, incomplete or ambiguous information in the maintenance data, they should record the details. The procedure should then ensure that the BCAR -145 AMO notifies the problem to the author (manufacturer, holder of the type certificate, BDCA, etc) of the maintenance data in a timely manner. A record of such communications to the author of the maintenance data should be retained by the BCAR -145 AMO until such time as the type certificate holder has clarified the issue (for example, checking the maintenance data).
2. The procedure should be included in the MOE, section 2.27.

AMC 145.45 (d) Maintenance Data

(See BCAR 145.45 (d))

1. The referenced procedure should address the need for a practical demonstration by the mechanic to the quality personnel of the proposed modified maintenance instruction. When satisfied, the quality personnel should approve (or not) the modified maintenance instruction and ensure that the type certificate or supplementary type certificate holder is informed of the modified maintenance instruction and no technical objection to the modification proposal has been received from him. The procedure should include a paper/electronic traceability of the complete process from start to finish and ensure that the relevant maintenance instruction clearly identifies the modification. Modified maintenance instructions should only be used in the following circumstances;
 - 1.1. Where the type certificate / supplementary type certificate holders original intent can be carried out in a more practical or more efficient manner.
 - 1.2. Where the type certificate / supplementary type certificate holders original intent cannot be achieved by following the maintenance instructions. For example, where a component cannot be replaced following the original maintenance instructions.
 - 1.3. For the use of alternative tools / equipment.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

AMC 145.45 (g) Maintenance Data

(See BCAR 145.45 (g))

1. Relevant parts of the organisation means with regard to aircraft base maintenance, aircraft line maintenance, mechanical workshops and avionic workshops. Therefore, for example engine workshops should have a common system throughout such engine workshops that may be different to that in aircraft base maintenance.
2. Complex maintenance tasks should be transcribed onto the workcards or worksheets and subdivided into clear stages to ensure a record of the accomplishment of the maintenance task. Of particular importance is the need to differentiate and specify, when relevant, disassembly, accomplishment of task, reassembly and testing. In the case of a lengthy maintenance task involving a succession of personnel to complete such task, it may be necessary to use supplementary workcards or worksheets to indicate what was actually accomplished by each individual person.

AMC 145.45 (j) and (k) Maintenance Data

(See BCAR 145.45 (j) and (k))

1. To keep data up to date a procedure should be set up to monitor the amendment status of all data and maintain a check that all amendments received are being incorporated.
2. Data being made available to personnel maintaining aircraft means that the data should be available in close proximity to the aircraft being maintained, for supervisors, mechanics and certifying staff to study. Where computer systems are used, the number of computer terminals should be sufficient in relation to the size of the work programme to enable easy access, unless the computer system can produce paper copies. Where microfilm or microfiche readers/printers are used, a similar requirement is applicable.

AMC 145.47 (a) Production planning

(See BCAR 145.47 (a))

1. Depending on the amount and complexity of work generally performed by the BCAR -145 AMO, the planning system may range from a very simple procedure to a complex organisational set-up including a dedicated planning function in support of the production function.
2. For the purpose of BCAR 145 the production planning function includes two complementary elements:



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- a) Scheduling the maintenance work ahead, to ensure that it will not adversely interfere with other work as regards the availability of all necessary personnel, tools, equipment, material, maintenance data, and facilities.
- b) During maintenance work, organise maintenance teams and shifts and provide all necessary support to ensure the completion of maintenance without undue time pressure.
3. When establishing the production planning procedure, consideration should be given to the following:
 - (a) Logistics
 - (b) inventory control
 - (c) available space
 - (d) man-hours estimation
 - (e) man-hours availability
 - (f) preparation of work
 - (g) hangar availability
 - (h) environmental conditions (access, lighting standards and cleanliness)
 - (i) Co-ordination with internal and external suppliers, etc.

Scheduling of safety-critical tasks during periods when staff are likely to be most alert.

AMC 145.47 (b) Production planning

(See BCAR 145.47 (b))

Limitations of human performance, in the context of planning safety related tasks, refers to the upper and lower limits, and variations, of certain aspects of human performance (Circadian rhythm / 24 hours body cycle) which personnel should be aware of when planning work and shifts.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

AMC 145.47 (c) Production planning

(See BCAR 145.47 (c))

1. The primary objective of the changeover information is to ensure effective communication at the point of handing over the continuation or completion of maintenance actions. Effective task and shift handover depends on three basic elements:

The outgoing person's ability to understand and communicate the important elements of the job or task being passed over to the incoming person.

The incoming person's ability to understand and assimilate the information being provided by the outgoing person.

A formalised process for exchanging information between outgoing and incoming persons and a planned shift overlap and a place for such exchanges to take place.

2. The referenced procedure should be specified in the MOE, section 2.26

AMC 145.47 (d) Production planning

(See BCAR 145.47 (d))

1. Have enough personnel in a BCAR -145 AMO means that at least 60% of the personnel carrying out tasks in the workshops, hangars, or line are regular employees of the organisation to ensure an organisational stability. The personnel contracted for a partial or total periods should follow the procedures of the organisation related to their tasks specified in the MOE. For this paragraph, "hired personnel" means personnel hired individually by the BCAR -145 AMO. "Contracted personnel" means persons whose work contracts are with another organisation or company and work for the maintenance organisation under a "company to company" contract.
2. The man-hour plan should include the planned maintenance tasks, except when they can not be planned because the contracts are made for short periods. In this case, these plans should be based on the minimum maintenance tasks that the company should carry out to have commercial viability.
3. The man-hour plan should reflect all the planned maintenance events, including the resources necessary for planning, quality, worksheet production, filling of documents, inspections, and all the tasks related to a maintenance activity (See IEM 145.47 (d)).
4. In the case of base maintenance, the man-hour plan should reflect the use of the personnel for every planned visit of aircrafts to the hangar.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

5. For component maintenance, the man-hour plan should consider the repairs to the components during the base maintenance events to avoid delays because of the lack of components.
6. The man-hour amount assigned for the quality monitoring tasks required by BCAR -145.65 (c) should be enough, especially in the case that these personnel have to carry out other tasks.
7. The man-hour plan should be reviewed every (3) three months and be updated when necessary.
8. The significant deviations to the man-hour plan, which means 25% or more, should be reported by the managers of this area to the quality manager and the accountable manager to take the appropriate measures.
9. The man-hour plan as well as the procedures to implement it should be specified in the MOE, section 2.22.

IEM 145.47 (d) Production planning

(See BCAR 145.47 (d))

The purpose of demanding a man-hour plan is to prevent the BCAR -145 AMOs from contracting more activities than the ones they can carry out because of commercial reasons or any others and at the same time ensuring that they will be able to fulfil the contracts and commitments, preventing a decrease of the quality of the tasks and jeopardise safety.

AMC 145.50(a) Certification of maintenance

(See BCAR 145.50 (a))

1. A certificate of release to service is necessary before flight at the completion of any package of maintenance specified by the aircraft operator in accordance with BCAR OPS 1.890 (maintenance responsibilities of the operator). The package of maintenance may include any one or combination of the following elements; a check or inspection from the operator's aircraft maintenance programme, airworthiness directives, overhauls, repairs, modifications, component replacements, and defect rectification.
2. New defects or incomplete maintenance work orders identified during the above maintenance should be brought to the attention of the aircraft operator for the specific purpose of obtaining agreement for its rectification. In the case where the aircraft operator declines to have such maintenance carried out, BCAR -145.50 (d) will apply.
3. A certificate of release to service is necessary before flight, at the completion of any defect rectification, whilst the aircraft operates flight services between scheduled maintenance.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

4. A certificate of release to service is necessary at the completion of any maintenance on an aircraft component whilst off the aircraft.
5. The issuance of Form One (F-1) (see Appendix B) constitutes the certificate of release to service when a component is maintained by one BCAR -145 AMO for another BCAR -145 AMO.

AMC 145.50 (c) Certification of maintenance

(See BCAR 145.50 (c))

1. The certificate of release to service should contain the following statement:

“Certifies that the work specified, except as otherwise specified, was carried out in accordance with BCAR -145 and in respect to that work the aircraft/aircraft component is considered ready for release to service”.
2. The certificate of release to service should relate to the task specified in the manufacturer's maintenance instructions, the maintenance manual, service bulletins, etc, relating them to the specific tasks in the BCAR OPS operator instructions.
3. The date such maintenance was carried out should include when the maintenance took place relative to any life or overhaul limitation in terms of date/flying hours/cycles/landings, etc., as appropriate.
4. When extensive maintenance has been carried out, it is acceptable for the certificate of release to service to summarise the maintenance so long as there is a unique cross-reference to the work-pack containing full details of maintenance carried out. Dimensional information should be retained with the records of the work orders.
5. The person signing the certificate of release to service should use his normal signature. Electronic signatures or any others are only allowed when the signatory can be easily identified and the appropriate measures exist, being satisfactory for the BDCA to avoid any forgery.

AMC 145.50 (d) Certification of maintenance

(See BCAR 145.50 (d))

1. General
 - 1.1. As stated in BCAR OPS 1.890 the aircraft operator is responsible for ensuring that all required maintenance has been carried out before flight. Therefore, it is essential that the BCAR -145 AMO receives clear instructions of all the tasks to be carried out as a work order from the operator. The work instructions should include the specific checking of to be performed to the aircraft according to the maintenance programme approved to the



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

operator, airworthiness directives, repairs, modifications, change of elements and defects that should be carried out.

- 1.2. Once all the works required by the operator have been carried out, the BCAR -145 AMO issues the corresponding release to service certificate, which makes reference to the operator's work order.
- 1.3. If by any reason it is not possible to carry out all the works asked by the operator and this pending works do not affect safety, it should be reported to the operator and the BDCA.
- 1.4. If the operator is not authorized on his Maintenance Organization Exposition, to postpone maintenance, only the the BDCA will be able to postpone the maintenance that was not carried out. In such case, the certificate of release to service issued by the BCAR -145 AMO will identify non carried out maintenance and will make a written reference to the document and provide copies to the BDCA.
- 1.5. If the operator is authorized in his MCM to postpone maintenance and pending maintenance does not affect safety, the certificate of release to service issued by the BCAR -145 AMO will identify the operator's MCM procedure granting the authority to postpone maintenance and identify non carried out maintenance.
- 1.6. When the BCAR -145 AMO identifies defects during the carryout of maintenance to an operator, the AMO shall notify all defects detected to the operator. If the operator is authorised in his MCM to postpone defect rectification, he will be able to postpone those defects not affecting safety. The certificate of release to service issued by the BCAR -145 AMO should identify the non rectified defects and specify the reference of the MCM procedure of the operator allowing it.
- 1.7. Another possible cause of incomplete maintenance is that the operator's work instructions are incomplete. In this case, the BCAR -145 AMO shall notify the situation to the operator and the BDCA.
2. Defects putting into risk safety
 - 2.1 The only situation preventing from the application of section (a) above is that the defect found is considered as hazardous for safety in case it is not rectified. In this case the BCAR -145 AMO will not issue a certificate of release to service until the defect is rectified.
 - 2.2 If the aircraft operator does not agree to rectify the defect that could affect safety, the the BCAR -145 AMO shall notify the situation immediately to the BDCA.
3. All this situations should be covered in the MOE, section 2.16



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

AMC 145.50(e) Certification of maintenance

(See BCAR 145.50 (e))

1. A BCAR -145 AMO can issue a Form One (F-1) for those aircraft components last maintained prior to obtaining the BCAR-145 approval, where the BCAR -145 AMO has established a procedure acceptable to the BDCA to ensure that only aircraft components meeting all other requirements will be issued a Form One (F-1).

IEM 145.50 (e) Certification of Maintenance

(See BCAR 145.50 (e))

A non-compliance known to the BCAR -145 AMO which could hazard flight safety means any instances where safe operation could not be assured or which could lead to an unsafe condition. It typically includes, but is not limited to, significant cracking, deformation, corrosion, or failure of primary structure, any evidence of burning, electrical arcing, significant hydraulic fluid or fuel leakage and any emergency system or total system failure. An Airworthiness Directive overdue for compliance is also considered a hazard to flight safety. As stated in BCAR - 145.50(e) a certificate of release to service may not be issued under these circumstances.

NOTE: An aircraft component which maintenance has been carried out outside the aircraft requires the issuance of a certificate of release to service in reference to such maintenance (Form F-1) and another certificate of release to service referring to its correct assembly in the aircraft when this happens (note in the log).



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

IEM Appendix B Certificate of Release to Service (Components) / Form One (F-1)

(See BCAR 145-50 and [Appendix B](#))

- 1.1. The Form One (F-1) should comply with the format attached including block numbers. The size of each block may however be varied to suit the individual application, but not to the extent that would make the certificate unrecognizable. The overall size of the certificate may be modified so long as the certificate remains recognisable and legible.
- 1.2. All printing or writing should be clear and legible to permit easy reading.
- 1.3. The Certificate should either be pre-printed or computer generated. Some blocks can be pre-printed also; such blocks will be specified in paragraph 2 of this IEM. In such case, signatures shall be the original.
- 1.4. The titles of each block in the Form One (F-1) shall be written in English and the use of abbreviations will be restricted excepting those of common use as APU, NAV, DME, etc. If the form is filled by hand, it shall be written in capital letters for the document to remain legible.
- 1.5. The space remaining on the reverse side of Form One (F-1) may be used for any additional information but should not include any certification statement.
- 1.6. The original Form One (F-1) should accompany the items when given to the operator or the owner. A copy should be retained by the BCAR - 145 AMO. Where the F-1 format and data is entirely computer generated, subject to acceptance by the BDCA, it is permissible to retain the copies on a secure database.
- 1.7. Where a single F-1 was used to release a number of items, a copy of the original shall accompany every item. The original F-1 should be retained by the BCAR -145 AMO. Failure to retain the original certificate could invalidate the release status of the items.
- 1.8. Form One (F-1) that accompanies the item may be attached to the item by being placed in an envelope for durability.

1. COMPLETION OF FORM ONE (F-1)

Except as otherwise stated, there should be an entry in all blocks to make the document a valid certificate.

Block1: Pre-printed; Belize.

Block 2: Pre-printed; "CERTIFICATE OF RELEASE TO SERVICE F - 1".



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- Block 3: Pre-printed; certificate number. Every certificate shall have a unique number for control and traceability purposes. This number shall be consecutive.
- Block 4: Pre-printed; the full name and address plus mailing address if different of the BCAR -145 AMO releasing the items covered by this certificate. Logos are permitted if the logo can be contained within the block.
- Block 5: internal numbers such as work order, owner number, or any other internal organisational process such that a fast traceability system can be established.
- Block 6: This block is provided for the convenience of the organisation issuing the Certificate to permit easy cross-reference to the 'Remarks' Block 13 by the use of item numbers. Completion is not mandatory.
- Block 7: The name or description of the item should be given. Preference should be given to use of the Illustrated Parts Catalogue (IPC) designation.
- Block 8: State the Part Number. Preference should be given to use of the IPC number designation.
- Block 9: Used to indicate the Type-Approved products for which the released items are eligible for installation. Completion of block is optional but if used, the following entries are permitted:
- a) The specific or series aircraft such as Cessna 208B, engine, propeller, or a reference to a readily available catalogue or manual which contains such information.
 - b) "Various", if known to be eligible for installation on more than one model of Type-Approved product, unless a restricted usage to a particular model is wanted.
 - c) "Unknown", if eligibility is unknown.

NOTE. - Any information in Block 9 does not constitute authority to fit the item to a particular aircraft, engine, propeller or auxiliary power unit. The User/installer should confirm via documents such as the Parts Catalogue, Service Bulletins, etc. that the item is eligible for the particular installation.

Block 10: State the number of items being released.

Block 11: State the item Serial Number and/ or Batch Number if applicable, if neither is applicable, state "N/A".



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

Block 12: Indicate the status of the item being released. One or a combination of these words should be stated in this block:

- *OVERHAULED*. The restoration of a used item by inspection, test, and replacement in conformity with an approved standard.
- *INSPECTED/TESTED*. The examination of an item to establish conformity with an approved standard (*).
- *MODIFIED*. The alteration of an item in conformity with an approved standard (*).
- *REPAIRED*. The restoration of an item to a serviceable condition in conformity with an approved standard (*).
- *RETREADED*. The restoration of a used tyre in conformity with an approved standard (*).
- *REASSEMBLE*. The reassembly of an item in conformity with an approved standard (*).
- (*)Approved Standard means a manufacturing/design/maintenance/quality standard approved by the AAC.

Block 13 It is mandatory to state any information in this block either direct or by reference to supporting documentation that identifies particular data or limitations relating to the items being released that are necessary for the user/installer to make the final airworthiness determination of the item. Information should be clear, complete, and provided in a form and manner which is adequate for the purpose of making such a determination. If there is no statement, state "NO/None".

Some of the examples are:

- The identity and issue of maintenance documentation used as the approved standard.
- Airworthiness directives carried out and/or found carried out, as appropriate.
- Repairs carried out and/or found carried out, as appropriate.
- Modifications carried out and/or found carried out, as appropriate.
- Replacement parts installed and/or parts found installed, as appropriate.
- Life limited parts history.
- Deviations from the owner work order

Blocks 14, 15, 16, 17 & 18 Must not be used for maintenance task by the BCAR - 145 AMO. These blocks are specifically reserved for the



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

release/certification of newly manufactured items in accordance with BCAR -21.

Block 19 Contains the required BCAR -145.50(a) release to service statement for all maintenance by BCAR -145 AMO. The certification statement "except as otherwise specified in block 13" is intended to address the following situations:

- The case where the maintenance could not be completed.
- The case where the maintenance deviated from the BCAR -145 procedures.
- The case where the maintenance was carried out in accordance with a non BCAR-145 requirement.
- Whichever case or combination of cases should be specified in block 13.

Block 20 The signature of the certifying staff authorised by the BCAR -145 AMO

Block 21 The BCAR -145 AC number granted by the BDCA to the BCAR -145 AMO.

Block 22 Full name, printed or handwritten, in capital letters of the signatory of block 20.

Block 23 The date of signing the Block 20 release to service. (d/m/y). The month should appear in letters e.g. Jan, Feb, Mar etc. The date and signature of block 20 shall be written at the completion of maintenance.

AMC 145.55(a) Maintenance records

(See BCAR 145.55 (a))

1. Properly executed and retained records provide owners, operators and maintenance personnel with information essential in controlling unscheduled and scheduled maintenance, and trouble shooting to eliminate the need for re-inspection and rework to establish airworthiness. As a minimum, records necessary to prove all requirements have been met for issuance of the certificate of release to service including sub-contractor's release documents should be retained. The prime objective is to have secure and easily retrievable records with comprehensive and legible contents. The aircraft record should contain basic details of all serialised aircraft components and all other significant aircraft components installed, to ensure traceability to such installed aircraft component documentation and associated maintenance data. (See BCAR 145.45)
2. Some gas turbine engines are assembled from modules and a true total time in service for a total engine is not kept. When owners and operators wish to take advantage of the modular design, then total time in service and maintenance records for each module is



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

to be maintained. The maintenance records as specified are to be kept with the module and should show compliance with any mandatory requirements pertaining to that module.

3. Reconstruction of lost or destroyed records can be done by reference to other records which reflect the time in service, research of records maintained by repair facilities and reference to records maintained by individual mechanics etc. When these things have been done and the record is still incomplete, the owner/operator may make a statement in the new record describing the loss or destruction and state what is missing. This statement must be sent to the BDCA to be accepted. The BDCA may demand additional maintenance to the aircraft or components involved.

NOTE: Additional maintenance may be required, depending on the record information not recovered.

4. The maintenance record can be either a paper or computer system or any combination of both.
5. Paper systems should use robust material which can withstand normal handling and filing. The record should remain legible throughout the required retention period.
6. Computer systems may be used to control maintenance and/or record details of maintenance work carried out. Computer systems used for maintenance should have at least one backup system which should be updated at least within 24 hours of any maintenance. Each terminal is required to contain programme safeguards against the ability of unauthorised personnel to alter the database.

IEM45.55 (b) Maintenance records

(See BCAR 145.55 (b))

A self-explanatory paragraph that requires the BCAR -145 AMO to give the operator the certificate of release to service including basic details of maintenance carried out, whereas BCAR -145.55(c) requires the BCAR -145 AMO organisation to retain the record of all maintenance.

AMC 145.55(c) Maintenance records

(See BCAR 145.55 (c))

1. The records should be stored in a safe way with regard to fire, flood and theft.
2. Computer backup discs, tapes etc. should be stored in a different location from that containing the working discs, tapes etc., in an environment that ensures they remain in good condition.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

3. Where a BCAR -145 AMO terminates its operation, all retained maintenance records covering the last two years should be distributed to the last owner/operator of the respective aircraft or component. If it is impossible to trace the owner/operator, the maintenance records should be stored as required by the BDCA.

NOTE: When an aircraft operator contracts a BCAR -145 AMO to file certificates of release to service, as well as any approved data related to associated repairs/modifications, the retaining period will be the one required by BCAR -OPS Subpart M and not the one specified in BCAR -145.55 (c).

AMC 145.60 Occurrence reporting.

(See BCAR 145.60)

1. The aim of occurrence reporting is
 - 1.1 The occurrence report is an essential part of the monitoring task. The purpose of this system is to collect, investigate, and analyse the information provided in the issued reports to improve safety and not to impose sanctions or any type of corrective measure.
 - 1.2 Specific objectives of the reporting system are:
 - (a) Make possible an evaluation of the safety implications of every report including previous similar reports to take the necessary measures. This evaluation involves WHAT and WHAT has occurred to prevent similar reports in the future.
 - (b) Ensure that the acquired knowledge is distributed for other persons and organisations to benefit from that.
 - 1.3 Reporting system is supplementary to the daily control and procedure systems and it does not try to duplicate or substitute it. The reporting system becomes a tool to identify those occasions in which the routine procedures have failed.
 - 1.4 Reports shall be kept in a data base.
2. Reports to be submitted to the BDCA
 - 2.1 BCAR -145.60 (a) states that the BCAR -145 AMO shall report those situations in which any condition of the aircraft or component has resulted or could have resulted in an insecure condition.
 - 2.2 The fact that the BCAR -145 AMO has sent the required records to the BDCA does not exempt the responsibility to take corrective measures to prevent similar situations in the future. Planned and unplanned actions shall be included in the report to the BDCA.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- 2.3 When a record affects an aircraft which State of registration is different from the one that issued the BCAR -145 approval, the CAA of the State of registration shall be also notified.
3. Period to send the reports
- 3.1 The BCAR -145.60 (e) states a maximum of 72 hours to send the corresponding reports to the BDCA. The period will start since the moment the event occurred or since the moment the reporter determined that it could have caused insecure or potentially dangerous conditions.
- 3.2 There are situations in which it is not necessary an evaluation before the report and it is notified directly to the BDCA. However, there will be occasions in which as part of the quality system, situations considered non reportable were after considered reportable.
- 3.3 Within the 72 hour period to send the report, the level of urgency should be determined by the level of danger detected by means of the finding discovered.
- 3.4 When it has been determined that a finding can produce hazardous situations, the BDCA must be informed immediately about the details available at that time. The initial notification will be followed by the corresponding report within 72 hours.
- 3.5 When it has been determined that a finding can result in situations less immediate and less dangerous, the delivery of the report could take 72 hours with the purpose of collecting more information regarding that finding.
4. Content of the reports
- 4.1 Independent from other type of reports required by national regulations (AIRPROX), reports shall be sent to the CAA by any mean considered acceptable. Each report shall be prepared in accordance with form 1030 available in the CAA and it shall contain at least the following information:
- (a) Name of the BCAR -145 AMO
 - (b) Number of the BCAR -145 AC
 - (c) Information necessary to identify the aircraft or affected part
 - (d) Date and place of finding
 - (e) Summary of the condition
 - (f) Any other relevant information considered necessary.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- (g) For situations affecting systems or components, being monitored or protected by a warning and/or protection system such as the detection/extinguishing of fire, the report shall ALWAYS notify if such systems work appropriately.
5. Report to other organisations
- 5.1 BCAR -145.60 (a) states the need that the BCAR -145 AMO shall report to the organization holder of the aircraft or component design about any unsafe condition found in an aircraft or components that could seriously hazard the aircraft and
- 5.2 BCAR -145.60 (d) states that the BCAR -145 AMO shall report also to the BCAR -OPS operator, being the one with whom it has the maintenance contract of its aircraft, any condition affecting aircraft or aircraft component safety in accordance with following section 6.
- (6) Occurrence that must be reported:
- (a) The following lines contain a generic list of the defects, damages, and incidents that shall be reported to the BDCA by the BCAR -145 AMO. This list is generic and not comprehensive and it is provided as a guideline for the BCAR -145 AMO to elaborate its own list that should be acceptable to the BDCA, taking into account the level of danger or potential danger related to each finding discovered.
 - (b) incorrect assembly of parts or components during an aircraft inspection.
 - (c) Hot bleed air leak that has resulted in structural damage.
 - (d) Any defect in a life controlled component causing retirement before completion of its full life.
 - (e) Any damage or deterioration (e.g. fractures, cracks, corrosion, delamination, disbonding, etc.)
 - (f) Primary structure or principal structural element (as defined in the manufacturer's repair manual) where such damage or deterioration exceeds allowable limits specified in the repair manual and requires a repair or complete or partial replacement of the element;
 - (g) Secondary structure which consequently has or may have endangered the aircraft;
 - (h) The engine, propeller, or rotorcraft rotor system.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- (i) Any failure, malfunction, or defect of any system or equipment, or damage found as a result of compliance with an Airworthiness Directive or other mandatory instruction issued by the BDCA when:
 - (i) It is detected for the first time,
 - (ii) Or in repetitive inspections, if applicable, where it exceeds the permissible limits quoted in the instruction and/or published repair/rectification procedures are not available.
- (j) Failures in any emergency system or equipment, including emergency exit doors and lightning.
- (k) Non compliance or significant errors in compliance with the required maintenance procedures.
- (l) Products, parts, appliances, and materials of unknown or suspicious origin.
- (m) Misleading, incomplete, or insufficient data or maintenance procedures that can result in maintenance errors.
- (n) Failures, malfunctioning, or defect of ground equipment used for tests and checking of the equipment and aircraft systems when the routine inspection required and the testing procedures do not clearly identify the problem and this results in a hazardous situation.

AMC 145.65 (a) Safety and quality policy, maintenance procedures and quality system

(See BCAR 145.65 (a))

1. The safety quality policy should as a minimum include a statement committing the BCAR - 145 AMO to:
 - (a) Recognise safety as a prime consideration at all times
 - (b) Apply Human factors principles.
 - (c) Encourage personnel to report maintenance related errors/incidents.
 - (d) Recognise that compliance with procedures, quality standards, safety standards, and regulations is the duty of all personnel.
 - (e) Recognise the need for all personnel to co-operate with the quality auditors.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

AMC 145.65 (b) Safety and quality policy, maintenance procedures and quality system

(See BCAR 145.65 (a)(2))

1. Maintenance procedures should be held current such that they reflect best practice within the BCAR - 145 AMO. It is the responsibility of all employees of the BCAR -145 AMO to report any differences via their organisation's internal occurrence reporting mechanisms.
2. All procedures, and changes to those procedures, should be verified and validated before use where practicable.
3. All technical procedures should be designed and presented in accordance with good human factors principles.

AMC 145.65 (b)(2) Safety and quality policy, maintenance procedures and quality system

(See BCAR 145.65 (b)(2))

Specialised services include any specialised activity, such as, but not limited to non-destructive testing or welding requiring particular skills and/or qualification. BCAR -145.32 covers the qualification of personnel but, in addition, there is a need to establish maintenance procedures that cover the control of any specialised process.

AMC 145.65 (b)(3) Safety and quality policy, maintenance procedures and quality system

(See BCAR 145.65 (b)(3))

1. The purpose of this procedure is to minimise the rare possibility of an error being repeated whereby the identical aircraft components are not reassembled thereby compromising more than one system. One example is the remote possibility of failure to reinstall engine gearbox access covers or oil filler caps on all engines of a multiengine aircraft resulting in major oil loss from all engines.

Another example is the case of removal and refitment of oil filler caps, a reinspection of all oil filler caps should be carried out after the last oil filler cap has supposedly been refitted.

2. Procedures should be established to detect and rectify maintenance errors that could, as minimum, result in a failure, malfunction, or defect endangering the safe operation of the aircraft if not performed properly. The procedure should identify the method for capturing errors, and the maintenance tasks or processes concerned.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- 2.1 In order to determine the work items to be considered, the following maintenance tasks should primarily be reviewed:

Installation, rigging and adjustments of flight controls.

Installation of aircraft engines, propellers and rotors.

Overhaul, calibration, or rigging of components such as engines, propellers, transmissions, and gearboxes.

Additional information should also be processed, such as:

Previous experiences of maintenance errors, depending on the consequence of the failure.

Information arising from the 'occurrence reporting system' required by BCAR 145.60

National requirements to detect failures, if applicable.

3. In order to prevent omissions, every maintenance task or group of tasks should be signed-off. To ensure the task or group of tasks is completed; it should only be signed-off after completion. Work by temporary staff, trainee should be checked by authorised personnel before they sign-off. The grouping of tasks for the purpose of signing-off should allow critical steps to be clearly identified.

Note: A "sign-off" is a statement by the competent person performing or supervising the work, that the task or group of tasks has been correctly performed. A sign-off relates to one step in the maintenance process and is therefore different to the release to service of the aircraft. "Authorised personnel" means personnel formally authorized to sign-off tasks by the BCAR -145 AMO. "Authorised personnel" are not necessarily "certifying staff".

AMC 145.65(c) Safety and quality policy, maintenance procedures and quality system

(See BCAR 145.65 (c))

1. The primary objectives of the quality system are to enable the BCAR -145 AMO to ensure that it can deliver a safe product and it remains in compliance with the requirements.
2. An essential element of the quality system is the independent audit.
3. The independent audit is an objective process of routine sample checks of all aspects of the BCAR -145 AMO and its ability to carry out all maintenance to the required standards and includes some product sampling as this is the end result of the maintenance process.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

It represents an objective overview of the complete maintenance related activities and is intended to complement the BCAR -145.50 (a) requirement for certifying staff to be satisfied that all required maintenance has been properly carried out before issue of the certificate of release to service. Independent audits should include a percentage of random audits carried out on a sample basis when maintenance is being carried out. This means some audits during the night for those organisations that work at night.

4. The independent audit should ensure that all aspects of BCAR -145 compliance are checked every 12 months and have been checked over the 12 month period in accordance with a scheduled plan. The independent audit does not require each procedure to be checked against each BCAR -145 AMO product when it can be shown that the particular procedure is common to more than one product and the procedure has been checked every 12 months without resultant findings. Where findings have been identified, the particular procedure should be rechecked against other products until the findings have been rectified after which the independent audit procedure may revert back to 12 monthly for the particular procedure.
5. The independent audit should sample check one product on each product line every 12 months as a demonstration of the effectiveness of maintenance procedures compliance. It is recommended that procedures and product audits be combined by selecting a specific product example, such as an aircraft or engine or instrument and sample checking all the procedures and requirements associated with the specific product example to ensure that the end result should be an airworthy product.

For the purpose of the independent audit a product includes any product specified in the scope of rating in Appendix 2 and specified in the approval issued for the particular organisation. For example, a BCAR -145 AMO with the capability to maintain aircraft, engines, brakes and autopilots would need to carry out 4 complete audit sample checks each year. In section 13, there is an example of elements and planning of an audit.

6. The sample check of a product means to witness any relevant testing and visually inspect the product and associated documentation. The sample check should not involve repeat disassembly or testing unless the sample check identifies findings requiring such action.
7. Where the smallest BCAR -145 AMO (an organisation with a maximum of 10 personnel actively engaged in maintenance) chooses to subcontract the independent audit in accordance with BCAR -146.65 (c) (1), the audits referred in sections 4 and 5 should be carried out twice in every 12 month period.
8. Where the BCAR -145 AMO has line stations listed in accordance with BCAR - 145.75 (a)(4), the quality system should describe how these are integrated into the system and include a plan to audit each listed line station at a frequency consistent with the extent of



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

flight activity at the particular line station. Period between audits of a particular line station should not exceed 24 months.

9. Except as specified otherwise in paragraph 5, the BDCA may agree to increase any of the audit time periods specified in BCAR -145.65 (c) (1) by up to 100% provided that there are no safety related findings and subject to being satisfied that the BCAR -145 AMO has a good record of rectifying findings in a timely manner.
10. A report should be raised each time an audit is carried out describing what was checked and the resulting findings against applicable requirements, procedures and products.
11. The independence of the audit should be established by always ensuring that audits are carried out by personnel not responsible for the function, procedure or products being checked. Large BCAR -145 AMOs being an organisation with more than about 500 maintenance staff should have a dedicated quality audit group whose sole function is to conduct audits, raise finding reports and follow up to check that findings are being rectified. Medium size BCAR -145 AMOs, this is with less than 500 persons working in maintenance tasks, can use competent personnel of a section/department without any responsibility in the operation, procedure or product to audit the section/ department only if the full responsibility of planning and implementation belongs to the Quality Manager. Smallest BCAR -145 AMOs with a maximum of 10 persons in maintenance activities may contract the independent audit element to another BCAR -145 AMO or independent auditors approved by the BDCA
12. The procedure described before should be specified in the MOE, sections 3.1 and 3.2.
13. Example of an audit plan
 - 13.1. Purpose
 - 13.2. The purpose of this plan is to give an example of how an audit plan can be developed to satisfy BCAR - 145.65 (b). This is only an example, being many other alternatives.
 - 13.3 This plan shows the elements that should be covered by the audit. This plan should be adapted to the conditions of every particular organisation. To this list, a schedule including the date(s) of all the different department of the organisation being audited needs to be added.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

Audit Plan

Ref.	Subject	Hangar	Engine	Mech	Avionic
145.20	© Approval certificate and rating				
145.25	(a) Facilities-size & segregation				
	(b) Office accommodation				
	© Work environment				
	(d) Storage				
	(e) Maintenance main base				
145.30	(a) Management personnel and changes				
	© Quality Manager				
	(e) Training processes				
145.32	(a) Specialized services personnel				
145.35	(a) Requirements of the certifying staff				
	© Certifying staff, recent experience				
	(d) Certifying staff, continuation training				
	(g) Authorizations to the certifying staff				
	(i) Records of the certifying staff				
145.40	(a) Appropriate equipment				
	(b) Control & calibration of tools & equipment				
145.45	(a)(b) Approved data				
	(d) Modified maintenance data				
	(e) Data approval				
	(g) Data availability				
	(h) Data up to date				
145.47	(d) Personnel Nos & man-hour plan				
145.50	(a) Aircraft/component release to service				
	(b) Contents of the certificates of release to service				
	(d) Controls before the release to service				
145.55	(a) Details on work documents				
	(b) Operator's copy of release				
	© 2 year record retention				
145.60	Reporting airworthy findings				
145.65	Procedures according to MOM				
145.67	Programme to control the use of narcotic drugs, enervating substances, and alcohol				
145.70	MOM up to date				



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

Auidt Plan

Ref.	Subject	Hangar	Engine	Mech	Avionic
2.1	Suppliers & subcontractors				
2.2	Acceptance of parts				
2.3	Parts control in stores				
2.5	Tool calibration				
2.6	Use of tools				
2.7	Cleanliness standards				
2.9	Control of repairs				
2.10	A/C Maintenance programme compliance				
2.11	Airworthiness Directives Control				
2.12	Control of modifications and SB				
2.13	Maintenance Documents used for AD and SB				
2.14	Control of technical records				
2.15	Base maintenance Defects				
2.16	Release to service procedures				
2.18	Defect report to the CAA/operator				
2.19	Defective parts to stores				
2.20	Parts to outside contractors				
2.21	Computer maintenance systems				
2.22	Man-hour control				
2.23	Control of critical tasks				
2.24	Specific maintenance procedures				
2.26	Shift handover procedures				
2.28	Procedures for the control of any specialised process				
L2.1	Line maintenance: control parts etc				
L2.2	Line servicing control				
L2.3	Line defect control				
L2.4	Technical log completion				
L2.5	Pool & loan parts				
L2.6	Return defective parts to base				
L2.7	Line procedure control of critical tasks				
3.9	Product maintenance exemption control				
3.12	Subcontractor personnel				
3.13	Human factor training procedures				



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

NOTE 1: In the line station case, all line stations should be audited at the frequency agreed by the BDCA within the limits of the AMC 145.65 (b).

NOTE 2: Reference system used for this example refers to the paragraphs of the BCAR - 145 as well as to the sections of the MOE.

**AMC 145.65(c)(2) Safety and quality policy, maintenance procedures and quality system
(See BCAR 145.65 (c)(2))**

1. An essential element of the quality system is the quality feedback system identified in BCAR 145.65 (c) 2 as report system.
2. The quality feedback system may not be contracted to companies or persons outside the BCAR -145 AMO. The principal function of the quality feedback system is to ensure that all findings resulting from the quality audits of the organisation are properly investigated and corrected in a timely manner and to enable the Accountable Manager to be kept informed of any safety issues and the extent of compliance with BCAR -145.
3. Quality audit reports referenced in AMC 145.A.65(c) paragraph 10 should be sent to the relevant department(s) for rectification action giving target rectification dates. Rectification dates should be discussed with such department(s) before the quality department or nominated quality auditor confirms such dates in the report. The relevant department (s) is required to rectify findings and inform the quality department of such rectification in accordance with BCAR 145.65 (c) (2).
4. The Accountable Manager should hold regular meetings with staff of the BCAR -145 AMO to check progress on rectification except that in the large organisations, such meetings may be delegated on a day to day basis to the quality manager subject to the accountable manager meeting at least twice per year with the senior staff involved to review the overall performance and receiving at least a half yearly summary report on findings of non-compliance.
5. All records pertaining to the quality audits and the quality feedback system should be retained for at least 2 years after the date of clearance of the finding or for a period sufficient to support the application of changes in the audit periods in accordance with AMC 145.65 (c) (1) section 9.

IEM 145.70(a) Maintenance Organisation Exposition (MOE)

(See BCAR 145.70 (a))

1. The purpose of the Maintenance Organisation Exposition is to set forth the procedures, means, and methods of the BCAR -145 AMO.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

2. Compliance with the provisions of the MOE ensures the compliance of the requirements of the BCAR -145 which is a prerequisite to obtaining and retaining a BCAR -145 AMO certificate.
3. From BCAR 145.70 (a) (1) to (13) constitutes the “management” part of the MOE and therefore could be produced as one document and made available to the person(s) described in the BCAR -145.30 (a) who should be reasonably familiar with its contents. The list of Certifying Staff referred in BCAR -145.70 (a) (6) may be produced as a separate document.
4. BCAR - 145.70(a) (16) constitutes the working procedures of the organisation and they may be produced as any number of separate procedures manuals. It should be remembered that these documents should be cross-referenced from the “management” part of the MOE.
5. Personnel are expected to be familiar with those parts of the MOE that are relevant to the maintenance work they carry out.
6. The BCAR -145 AMO should specify in the MOE who should amend the manual particularly in the case where there are several parts.
7. The quality manager should be responsible for monitoring the amendment of the MOE, unless otherwise agreed by the BDCA, including associated procedures manuals and submission of the proposed amendments to the BDCA. However the BDCA may agree via a procedures stated in the amendment section of the MOE that some defined class of amendments may be incorporated without prior approval by the BDCA.
8. The MOE should cover four (4) main parts:
 - 8.1. Management
 - 8.2. The maintenance procedures covering all aspects of how aircraft componens may be accepted from outside sources and how the aircraft would be maintained to achieved the required standard.
 - 8.3. The quality system procedures including the methods of qualifying mechanics, inspection, certifying staff, and quality audit personnel.
 - 8.4. Contracted operator procedure and paperwork.
9. The statement signed by the Accountable Manager referred in BCAR -145.70 (a)(2) should embrace the intent of the following paragraph and in fact this statement may be used without amendment. Any modification to the statement should not alter the intent.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

“This MOE and any associated referenced manuals defines the BCAR – 145 and procedures upon which the BDCA BCAR – 145 approval is based as required by BCAR – 145.70. These procedures are approved by the undersigned and should be complied with, as applicable, when work/orders are being progressed under the terms of the BCAR – 145 approval..

It is accepted that these procedures do not override the necessity of complying with any new or amended rules published by the BDCA from time to time where these new or amended regulations are in conflict with these procedures..

It is understood that the BDCA will approve this organisation whilst the BDCA is satisfied that the procedures are being followed and work standards maintained. It is further understood that the BDCA reserves the right to suspend, limit or revoke the BCAR -145 approval certificate of the BCAR -145 AMO if there is evidence that procedures are not followed or standards not upheld.

Signature _____

Place / Date _____

Accountable Manager _____

For and on behalf of _____ (Name of the organisation)”

Whenever the Accountable Manager changes, it is important to ensure that the new accountable manager sends to the BDCA a new statement with the documents related to his acceptance by the BDCA. Failure to carry out this action could invalidate the BCAR - 145 Approval.

10. When a BCAR -145 AMO is approved against any other 145 AMO containing a requirement for a MOE, a supplement covering the differences will suffice to meet the requirements. The supplement must have an index showing where those parts missing from the supplement are covered.

NOTE: Sections from (1) to (13) constitute the “management” part of the MOE.

IEM 145.75 (a)(1) General

(See BCAR - 145.75 (a)(1))

1. A BCAR -145 AMO may also carry out maintenance on any aircraft and / or aircraft component used for any purpose other than commercial air transport within the limitations of the particular approval.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

2. A BCAR -145 AMO may be approved to maintain aircraft/aircraft components not type certificated by the BDCA that granted the BCAR -145 approval.

AMC 145.75 (a)(2) Privileges of the organisation

1. Working under the quality system of an organisation appropriately approved under regulation BCAR -145(sub contracting) refers to the case of one organisation, not itself appropriately approved to BCAR -145 that carries out aircraft line maintenance or minor engine maintenance or maintenance of other aircraft components or a specialised service as a subcontractor for a BCAR -145 AMO. To be appropriately approved to subcontract the organisation should have a procedure for the control of such subcontractors as described below. Any BCAR – 145 approved maintenance organisation that carries out maintenance for another BCAR – 145 approved maintenance organisation within its own approval scope is not considered to be subcontracting for the purpose of this paragraph.

Note: For those organisations approved under BCAR -145 that are also certificated by the FAA under FAR Part-145 it should be noted that FAR Part-145 is more restrictive in respect of maintenance activities that can be contracted or sub-contracted to another maintenance organisation. It is therefore recommended that any listing of contracted or sub-contracted maintenance organisations should identify which meet the BCAR -145 criteria and which meet the FAR Part-145 criteria.

2. Maintenance of engines or engine modules other than a complete workshop maintenance check is intended to mean any maintenance that can be carried out without disassembly of the core engine.
3. Fundamentals of sub-contracting under BCAR -145
 - 3.1 The fundamental reasons for allowing a BCAR -145 AMO to sub-contract certain maintenance tasks are:
 - (a) To permit the acceptance of specialised maintenance services, such as, but not limited to, plating, heat treatment, plasma spray, fabrication of specified parts for minor repairs / modifications, etc., without the need for direct approval by the competent authority in such cases.
 - (b) To permit the acceptance of aircraft maintenance up to but not including a base maintenance check as specified in BCAR -145.A.75 (b) by organisations not appropriately approved under BCAR -145 when it is unrealistic to expect direct approval by the BDCA. The BDCA will determine when it is unrealistic but in general it is considered unrealistic if only one or two organisations intend to use the sub-contract organisation.
 - (c) To permit the acceptance of component maintenance.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

- (d) To permit the acceptance of engine or propeller maintenance up to but not including a workshop maintenance check of an engine or propeller as specified in BCAR -175.75 (b) by organisations not appropriately approved under BCAR -145.75 when it is unrealistic to expect direct approval by the BDCA. The determination of unrealistic is as per sub-paragraph (b).
- 3.2 When maintenance is carried out under the BCAR -145 AMO sub-contract control system it means that for the duration of such maintenance, the BCAR -145 approval has been temporarily extended to include the sub-contractor. It therefore follows that those parts of the sub-contractor's facilities, personnel, and procedures involved with the maintenance organisation's products undergoing maintenance should meet BCAR -145 requirements for the duration of that maintenance and it remains the organisation's responsibility to ensure such requirements are satisfied.
- 3.3 For the criteria specified in sub-paragraph 3.1 the organisation is not required to have complete facilities for maintenance that it needs to sub-contract but it should have its own expertise to determine that the sub-contractor meets the necessary standards. However an organisation cannot be approved unless it has the in – house facilities, procedures and expertise to carry out the majority of maintenance for which it wishes to be approved in terms of the number of class ratings.
- 3.4 The organisation may find it necessary to include several specialist subcontractors to enable it to be approved to completely certify the release to service of a particular product. Examples could be specialist welding, electro-plating, painting etc. To authorise the use of such subcontractors, the BDCA will need to be satisfied that the organisation has the necessary expertise and procedures to control such sub-contractors.
- 3.5 An organisation working outside the scope of its approval schedule is deemed to be not approved. Such an organisation may in this circumstance operate only under the sub-contract control of another BCAR -145 AMO.
- 3.6 Authorisation to sub-contract is indicated by the BDCA accepting the MOE containing a specific procedure on the control of sub-contractors.
4. Principal BCAR - 145 procedures for the control of subcontractors not approved under BCAR -145.
- 4.1 A pre audit procedure should be established whereby the maintenance organization's subcontract control section, which may also be in BCAR -145.A.65(b) quality system independent audit section, should audit a prospective sub-contractor to determine whether those services of the sub-contractor that it wishes to use meets the intent of BCAR -145.
- 4.2 The BCAR -145 AMO needs to assess to what extent it will use the sub-contractor's facilities. As a general rule the organisation should require its own paperwork, approved



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

data and material/spare parts to be used, but it could permit the use of tools, equipment, and personnel from the sub-contractor as long as such tools, equipment and personnel meet the requirements of BCAR -145. In the case of sub-contractors who provide specialised services, it may for practical reasons be necessary to use their specialised services personnel, approved data, and material subject to acceptance by the BCAR -145 AMO.

- 4.3 Unless the sub-contracted maintenance work can be fully inspected on receipt by the BCAR -145 AMO, it will be necessary for such organisation to supervise the inspection and release from the sub-contractor. Such activities should be fully described in the BCAR -145 AMO procedures. The BCAR -145 AMO will need to consider whether to use its own staff or authorise the sub-contractor's staff.
- 4.4 The certificate of release to service may be issued either at the sub-contractor or at BCAR -145 AMO facility by staff issued a certification authorisation in accordance with BCAR -145.A.30 as appropriate, by the BCAR -145 AMO. Such staff would normally come from the BCAR -145 AMO but may otherwise be a person from the sub-contractor who meets the approved maintenance organisation certifying staff standard which itself is approved by the BDCA via the MOE. The certificate of release to service and the Form 1 will always be issued under the BCAR -145 AMO approval reference.
- 4.5 The sub-contract control procedure will need to record audits of the subcontractor, to have a corrective action follow up plan and to know when subcontractors are being used. The procedure should include a clear revocation process for sub-contractors who do not meet the BCAR -145 AMO requirements.
- 4.6 The BCAR – 145 quality audit staff will need to audit the sub-contract control section and sample audit sub-contractors unless this task is already carried out by the quality audit staff as stated in sub-paragraph 4.1.
- 4.7 The contract between the BCAR -145 AMO and the sub-contractor should contain a provision for the BDCA inspectors to have right of access to the sub-contractor.

IEM 145.80 Limitations on the BCAR – 145 AMO

(See BCAR 145.80)

This paragraph is intended to cover the situation where a BCAR -145 AMO may temporarily not hold all the necessary tools, equipment etc., for an aircraft type or variant it was approved. This paragraph means that the BDCA need not amend the approval to delete the aircraft type or variants on the basis that it is a temporary situation and there is a commitment from the BCAR -145 AMO to re-acquire tools, equipment etc. before maintenance on the type may recommence.



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

IEM 145.85 (a) Change to the BCAR -145 AMO

(See BCAR 145.85 (a))

The primary purpose of this paragraph is to enable the BCAR -145 AMO to remain approved if agreed by the BDCA during negotiations about any of the specified changes. Without this paragraph the approval would automatically be suspended in all cases.

IEM 145.95 Exemptions

(See BCAR 145 .95)

To grant an exemption based on what was established in this regulation, the BDCA should establish the supplementary conditions oriented to ensure the “interest and public security”. In this sense, the corresponding justifications submitted to request an exemption should be supported according to the following procedures:

1. Regulation or case for which the exemption is being requested.
2. The nature and scope of the regulation or case for which the exemption is being requested.
3. Description of the persons, aircraft, and facilities subject to the exemption requested.
4. Any information, point of view, or comments supporting the exemption.
5. The reasons why the granting of an exemption would be declared of public interest.
6. The supplementary actions to be taken by the petitioner that provide a safety level equivalent to BCAR - 145 or paragraph that is being requested to exempt or the reasons that ensure that the granting of the exemption will not affect negatively public security. The exemption applications should be sent in advance. In this sense, the exemption application receipt procedures will be processed according to the periods established by the administrative procedures of the BDCA.

The content of the exemptions when being granted by the BDCA will be the following:

1. Name of the authority granting the exemption
2. Legal provision to grant the exemption
3. The cases in which it can be used, including the period in which it will be valid. It is important to pay attention to the validity duration if this can be affected by an amendment to the requirement.
4. Addressee of the exemption



**BELIZE CIVIL AVIATION REGULATIONS
APPROVED MAINTENANCE ORGANIZATION**

SECTION II

BCAR 145

5. Legal provision which does not apply to those cases
6. Any terms that need to be met when using the exemption

The BDCA keeps a record of each exemption. This record is part of the record being kept for every BCAR -145 approved maintenance organisation that has been approved under this regulation. The record procedure for each document including the exemptions can be part of the procedures established by each authority granting the exemption.

IEM 145.100 Revocation, suspension, limitation, or refusal to issue or renew the BCAR - 145 AC

(See BCAR 145.100)

The procedures for these processes will be carried out according to the provisions in force of the BDCA.